JOURNAL OF PHYSICS B
ATOMIC AND MOLECULAR PHYSICS
1969—SER. 2, VOL. 2

SUBJECT INDEX

PAGE

Absorption spectra, *see* Spectra, absorption
Absorption, time-resolved optical, measurements of excited-atom concentrations in argon afterglow 1366
Afterglow, argon, time-resolved optical absorption measurements of excited-atom concentrations in 1366
Afterglows of pulsed rare-gas discharges in frequency range 200–1500 MHz, investigations of 234
Alkali atoms, impact ionization of, by electron and proton impacts 155
Alkali fluorescence, quenching by rare gases 719
Alkali metal atoms, clustered, ionization potentials of 478
Alkali metals, K and Na, generalized oscillator strengths in electron impact spectra of . 285
Alpha-particle induced luminescence in argon in electric field 571
Aluminium oxide, isotope shift studies of visible and ultra-violet bands of 119
Argon afterglow, time-resolved optical absorption measurements of excited-atom concentrations in 1366
Argon, determination of cross sections for excitation induced by 0·15–1·0 MeV protons in (L) 625
Argon, singly ionized, 100–400 kev collisions with argon atoms, excitation in (L) . . 817
Autoionizing levels in Be III 1075

Band, B-type vibration–rotation, of methane d_2 in region 5880–6136 cm^{-1}, analysis of . 499
Band, 0–0, of $D\ ^3\Pi - X\ ^3\Sigma^-_g$ in S_2 (L) 906
Band spectra of singlet systems of TiO molecule 490
Band spectrum, emission, of GeCl in visible region 1080
Band system, $A\ ^2\Pi - X\ ^2\Sigma^+$, of BeF 102
Band system, $A\ ^1\Sigma - X\ ^1\Sigma$, vibrational transition probabilities of BaO 115
Band system, $C\ ^3\Sigma^-_u - X\ ^3\Sigma^-_g$, of $^{32}S_2$, rotational analysis of 413
Band system, C_2 ($A\ ^3\Pi_g - X'\ ^3\Pi_u$), extension of 307
Band system, CN violet, electronic transition moment variation in (L) 725
Band system, N_2 fourth positive, Franck–Condon factors for $\nu' = 0$ progression of (L) . 626
Band system, O_2 Herzberg I, intensity measurements on $A\ ^3\Sigma^+_u - X\ ^3\Sigma^-_g$ 1240
Band system, 2250 Å, of BiF molecule, rotational structure of (L) 628
Bands, (0, 0), of $A\ ^2\Pi \rightarrow X\ ^2\Sigma^+$ system of MgBr, rotational analysis of (L) . . . 515
Bands, O_2^+, excitation by electron impact 529
Bands, satellite, and collision broadening in potassium line 4047 Å perturbed by krypton . 1396
Bands, visible and ultra-violet, of AlO, isotope shift studies of 119
Barium oxide, $A\ ^1\Sigma - X\ ^1\Sigma$ band system of, vibrational transition probabilities of . . 115
Beam, absorptive molecular, observation of superradiative transient from (L) 152
Beam, atomic, magnetic resonance, nuclear dipole, quadrupole and octupole moments of ^{155}Gd by 122
Beam-foil method for determining spectra of carbon ions 1378
Beam, molecular, measurements at thermal energies 603
Beams, fast helium, through hydrogen, formation of He^- ions in charge-changing collisions during passage of 465
Beryllium fluoride $A\ ^2\Pi - X\ ^2\Sigma^+$ system of 102
Beryllium sequence, Hartree–Fock *gf* values for some transitions of 1018
Beryllium III, autoionizing levels in 1075
Bethe and Born approximations for single ionization of He^+ and Li^+ ions by electron impact, ranges of validity of 1347
Binary collision scattering angles, computer calculations using Born–Mayer potential for interacting argon and gold atoms 972
Binary-encounter theory, initial-state quantization in 976
Bismuth fluoride molecule, rotational structure of 2250 Å system of (L) 628
Born and Bethe approximations for single ionization of He^+ and Li^+ ions by electron impact, ranges of validity of 1347

PAGE

Born approximation, simplified second, application to scattering of electrons and protons by atomic hydrogen . . . 1202
Born approximation, simplified second, on accuracy of . . . 1253
Born cross sections for ionization of He and Li by electron impact . . . 1323
Born approximation, first, cross sections for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium . . . 831
Born–Mayer potential for interacting argon and gold atoms, computer calculations of binary collision scattering angles using . . . 972
Born series, on the partial summation of . . . 839
Bounds, upper and lower, of atomic mean excitation energies, linear programming for calculation of . . . 640
Breakdown potentials and total secondary ionization coefficients of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders . . . 216
Breakdown potentials and total secondary ionization coefficients of monatomic gases between mild steel coaxial cylinders . . . 201
Broadening of hyperfine components of Cs I 4555 Å line by argon . . . 274

Caesium (Cs I) 4555 Å line, broadening of hyperfine components of . . . 274
Calcium I, distortion of G^2 (3d4s) integral in Ca I, Hartree–Fock calculations used to reveal (L) . . . 514
Capture, radiative, of electron by positive ion, process of emission of radiation in optical continuum due to . . . 757
Carbon (C_2), extension of A $^3\Pi_u$–X' $^3\Pi_u$ band system of . . . 307
Carbon monoxide, recalculation of vibrational excitation in . . . 1332
Carbon spectra by beam-foil method . . . 1378
Cerium (Ce IV), trebly ionized, isotope shift measurements in spectrum of . . . 260
Channel-coupling effects in elastic collisions of electrons with atoms . . . 166
Charge-changing collisions during passage of fast helium beams through hydrogen, formation of He^- ions in . . . 465
Charge-changing collisions involving hydrogen and deuterium, search for possible isotope effect in . . . 772
Charge exchange in H^+–H^- collisions, measurement of cross section for . . . 954
Charge state fractions, ^4He, measurement in thin carbon foils . . . 691
Charge transfer, and dissociation, in 1·4–46 kev H_3^+–H_2 collisions . . . 1055
Charge-transfer cross sections and mobilities for Hg^+ ions in atomic mercury . . . 821
Charge transfer, resonance, between protons and excited hydrogen atoms, classical approximation for . . . 857
Charge transfer, resonance, between protons and excited hydrogen atoms, quantal two-state approximation for . . . 851
Charge transfer, resonance, in He^{2+}–H(1s) collisions . . . 843
Charge transfer, symmetric, involving $^2P_{3/2}$ and $^2P_{1/2}$ Kr^+ and Xe^+ ions (L) . . . 814
Chromium and its halides, X-ray investigation of Kα doublet of . . . 507
Chromium hydride molecule, predissociation of upper electronic state (A) of 3680 Å transition in . . . 541
Classical approximation for resonance charge transfer between protons and excited hydrogen atoms . . . 857
Classical scaling law, note on . . . 1176
Classical treatment of electron loss . . . 930
Collision broadening and satellite bands in potassium line 4047 Å perturbed by krypton . . . 1396
Collision cross section, constant, electron–gas interactions with, extension of analysis of Townsend–Huxley diffusion experiment to . . . 680
Collision cross sections, total, and van der Waals constants for alkali atom interactions with atoms and non-reactive diatomic molecules at thermal energies . . . 603
Collision problems with identical particles . . . 1274
Collision processes, accuracy of simplified second Born approximation for . . . 1253
Collision scattering angles, binary, computer calculations using Born–Mayer potential for interacting argon and gold atoms . . . 972

PAGE

Collision strengths, calculation for electron impact transitions between fine structure levels in ions with configurations $1s^22s^22p^3$ (L) 427
Collision strengths for O^+ $2p^3$ $^3D_{3/2}$–$^3D_{5/2}$, resonances in, quantum defect theory applied to 333
Collisional excitation of He^+ ions by carbon atoms 1060
Collisional quenching of metastable hydrogen 1357
Collisional frequency, constant, electron–gas interactions with application of analysis of Townsend–Huxley diffusion experiment to 669
Collisions, charge-changing, during passage of fast helium beams through hydrogen, formation of He^- ions in 465
Collisions, charge-changing, involving hydrogen and deuterium, search for possible isotope effect in 772
Collisions, charge-transfer, diffusion of gaseous ions in strong electric fields under influence of 86
Collisions, elastic, of electrons with atoms, channel-coupling effects in 166
Collisions, electron, with positive ions, asymptotic solutions of coupled equations for . . 731
Collisions, heavy-particle, approximations to two-state impact-parameter treatment of. . 909
Collisions, He^{2+}–H(1s), resonance charge transfer in 843
Collisions, hydrogen–helium excitation, multi-state impact-parameter treatment of . . 913
Collisions, H^+–H^-, measurement of cross section for charge exchange in 954
Collisions, hydrogen–rare-gas, polarization of Lyman α radiation in 19
Collisions, inelastic, of slow atoms 941
Collisions of excited H atoms with H, Li or Na, ionization by 322
Collisions of H and H^-, detachment in 885
Collisions, 1·4–46 kev H_2^+–H_2, dissociation and charge transfer in 1055
Collisions, 100–400 kev Ar^+–Ar, excitation in (L) 817
Collisions, thermal-energy atom–molecule 1155
Conductivity, thermal, *see* Thermal conductivity
Configurations $3d^94s5s$ and $3d^94s4p$ of Cu I 524
Copper I, configurations $3d^94s5s$ and $3d^94s4p$ of 524
Copper I, estimation of quadratic Stark shifts in (L) 425
Correlation corrections, atomic susceptibilities from statistical electron models with . . 995
Correspondence identities for Rutherford scattering of electron by proton, derivation of 578, 590
Coulomb approximation, application to molecular transitions 65
Coulomb potential, separable expansion for off-shell two-body t matrix with 12
Cross section, absorption, measurements on vacuum ultra-violet spectrum of zinc vapour . 107
Cross section, Born, for proton ionization by helium 653
Cross section, diffusion, and mobility of atomic xenon ion in xenon 790
Cross section for ionization of helium by high-energy electrons calculated using Born approximation 1125
Cross section, total excitation, in neon, determination by comparison of theoretical and experimental values of Townsend's primary ionization coefficients . . . 551
Cross section for charge exchange in H^+–H^- collisions, measurement of 954
Cross sections, *see also* Collisions, Ionization, Quenching, Scattering
Cross sections, absolute, for electron excitation of second positive bands of nitrogen . . 52
Cross sections, accurate first Born approximation, for excitation of helium by fast electrons 26
Cross sections, Born, for ionization of He and Li by electron impact 1323
Cross sections, charge-transfer, and mobilities for Hg^+ ions in atomic mercury . . 821
Cross sections, determination for excitation induced by 0·15–1·0 Mev protons in argon (L) . 625
Cross sections, differential, for electrons elastically scattered by helium 1180
Cross sections, electron impact excitation, of B $^3\Pi_g$ state of N_2 923
Cross sections, electron impact ionization and excitation, of atoms with two outer-shell electrons 878
Cross sections, exchange, for electron impact ionization of atomic hydrogen 162
Cross sections, excitation, for emission of O_2^+ bands by electron impact 529
Cross sections, first Born approximation, for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium 831
Cross sections for excitation of forbidden lines in O^{2+}, resonances in 341
Cross sections for excitation of H atoms in 2s and 2p states by fast protons, asymptotic expressions for 308
Cross sections for 1s–*n*s excitation by fast protons of H atoms (L) 151

PAGE

Cross sections for production of Ar^{2+} and Ar^{+} in reaction $He^{+}+Ar \rightarrow He+(Ar^{+})^{*}$ at low energies . . . 1353
Cross sections for quenching of orthopositronium . . . 966
Cross sections for scattering of electrons by lithium atoms . . . 869
Cyanide radical, free, violet band system of, electronic transition moment variation in (L) . 725

Decay, donor fluorescence effect of resonance energy transfer on . . . 1084
Detachment, electron *see* Electron detachment
Detachment in collisions of H and H^{-} . . . 885
Deuterium and hydrogen plasmas, highly ionized, decay of . . . 1069
Diatom AlSe, thermal emission spectrum of (L) . . . 627
Diffusion cross section and mobility of atomic xenon ion in xenon . . . 790
Diffusion factor, thermal, for system $CO–CH_3Cl$ and $CO_2–CH_3Cl$, composition dependence of 715
Diffusion, lateral, and drift velocity of positive ions in hydrogen, determinations of . . 780
Diffusion, longitudinal, of electrons in electrostatic fields in gases . . . 696
Diffusion of gaseous ions in strong electric fields under influence of charge-transfer collisions 86
Dipole polarizabilities of $2\ ^{1,3}S$ states in helium isoelectronic sequence . . . 1309
Dipole shielding factors, frequency-dependent . . . 984
Dipole transitions, magnetic, in x-ray spectra (L) . . . 1122
Discharge, plasma focus, spectra of highly ionized neon and argon in . . . 798
Discharges, *see* Mercury positive column
Discharges, electrical, in gases, Monte Carlo simulation of . . . 562
Discharges, pulsed rare-gas, investigations of afterglows of, in frequency range 200–1500 MHz 234
Dissociation and charge transfer in 1·4–46 kev $H_2^{+}–H_2$ collisions . . . 1055
Double resonance experiments, frequency shifts in, caused by oscillating magnetic fields of intermediate strength . . . 1097
Drift measurements of ion–molecule reactions . . . 91
Drift velocities of ions in sulphur hexafluoride . . . 777
Drift velocity and lateral diffusion of positive ions in hydrogen, determinations of . . 780
Drift velocity measurements for positive oxygen ions in oxygen (L) . . . 423

Elastic collisions of electrons with atoms, channel-coupling effects in . . . 166
Elastic electron scattering by screened polar gas molecules (L) . . . 145
Elastic scattering, electron–helium, below ^{2}S resonance, phase-shift analysis of . . . 1187
Electron and proton impact ionization of Na, K, Rb and Cs . . . 155
Electron collisions with positive ions, asymptotic solutions of coupled equations for . . 731
Electron detachment from H^{-} by electron impact . . . 159
Electron detachment from negative oxygen ions at beam energies in range 3 to 100 ev . 191
Electron–gas interactions with constant collisional frequency, application of analysis of Townsend–Huxley diffusion experiment to . . . 669
Electron–gas interactions with constant cross section, extension of analysis of Townsend–Huxley diffusion experiment to . . . 680
Electron–helium scattering, elastic scattering below ^{2}S resonance, phase-shift analysis of . 1187
Electron–hydrogen scattering, variational calculations of resonance widths in . . . 766
Electron impact, Born cross sections for ionization of He and Li by . . . 1323
Electron impact, electron detachment from H^{-} by . . . 159
Electron impact excitation of atomic hydrogen, application of polarized-orbital approximation to 1313
Electron impact, excitation of He^{+} by . . . 44
Electron impact excitation of $ns–n's$ transitions in atoms, threshold law for (L) . . . 145
Electron impact, excitation of O_2^{+} bands by . . . 529
Electron impact excitation of $B\ ^{3}\Pi_g$ state of N_2 . . . 923
Electron impact ionization and excitation cross sections of atoms with two outer-shell electrons 878
Electron impact ionization cross sections of Mg^{2+} ions, measurements of . . . 1176
Electron impact ionization of atomic hydrogen, exchange cross sections for . . . 162
Electron impact, ionization of Li^{+} to Li^{3+} by . . . 1169
Electron impact, ranges of validity of Born and Bethe approximations for single ionization of He^{+} and Li^{+} ions by . . . 1347
Electron impact spectra of potassium and sodium, generalized oscillator strengths in . . 285
Electron impact spectra of rubidium and caesium, generalized oscillator strengths in . . 484

PAGE

Electron impact transitions between fine structure levels in ions with configurations $1s^2 2s^2 2p^3$ (L) . . . 427
Electron loss, classical treatment of . . . 930
Electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium, first Born approximation cross sections for . . . 831
Electron models, statistical, with kinetic, exchange and correlation corrections, atomic susceptibilities from . . . 995
Electron polarization, optical detection of . . . 747
Electron scattering by atomic hydrogen using pseudo-state expansion, elastic scattering . . . 1142
Electron scattering, elastic, by screened polar gas molecules (L) . . . 145
Electron scattering, model which includes correlation effects for (L) . . . 1120
Electron scattering, uniqueness of solutions of close-coupling equations for . . . 1300
Electron swarm experiments in oxygen, analysis of . . . 393
Electronic structure of ions CO_2^+ and N_2O^+ by LCAO–MO–SCF method, study of . . . 1261
Electronic transition moment variation in CN violet band system (L) . . . 725
Electrons and protons, scattering by atomic hydrogen, application of simplified second Born approximation to . . . 1202
Electrons, elastic collisions with atoms, channel-coupling effects in . . . 166
Electrons, elastic scattering by neutral atoms, phase shifts for, using isoelectronic sequence extrapolation techniques . . . 442
Electrons elastically scattered by helium, measurements of angular distributions of . . . 1180
Electrons, fast, accurate first Born approximation cross sections for excitation of helium by . 26
Electrons, high energy, ionization of helium by . . . 1125
Electrons, longitudinal diffusion in electrostatic fields in gases . . . 696
Electrons, two outer-shell, electron-impact ionization and excitation of atoms with . . . 878
Electrons, resonance scattering by diatomic molecules . . . 367
Electrons, resonant differential scattering by helium . . . 741
Electrons, scattering by lithium atoms . . . 869
Electrons, thermal, scattering by polar molecules . . . 71
Electrostatic fields in gases, longitudinal diffusion of electrons in . . . 696
Emission band spectrum of GeCl in visible region . . . 1080
Emission spectrum, *see* Spectrum, emission
Emission spectrum, thermal, of diatom AlSe (L) . . . 627
Energies, atomic mean excitation, linear programming for calculation of upper and lower bounds of . . . 640
Energy levels of three-dimensional quartic oscillator . . . 647
Energy, thermal, atom–molecule collisions . . . 1155
Energy transfer, resonance, effect on donor fluorescence decay . . . 1084
Exchange and relativistic effects in electron scattering from mercury . . . 356
Exchange corrections, atomic susceptibilities from statistical electron models with . . . 995
Excitation and ionization cross sections, electron impact, of atoms with two outer-shell electrons . . . 878
Excitation and relaxation effects on laser action in helium . . . 902
Excitation, collisional, of He^+ ions by carbon atoms . . . 1060
Excitation collisions, hydrogen–helium, multi-state impact-parameter treatment of . . . 913
Excitation cross section, 1*s*–*ns*, of H atoms by fast protons, asymptotic expression for (L) . 1118
Excitation cross section, total, in neon, determination by comparison of theoretical and experimental values of Townsend's primary ionization coefficient . . . 551
Excitation, electron, of second positive bands of nitrogen, absolute cross sections for . . . 52
Excitation, electron impact, of $B\ ^3\Pi_g$ state of N_2 . . . 923
Excitation energies, atomic mean, linear programming for calculation of upper and lower bounds of . . . 640
Excitation induced by 0·15–1·0 MeV protons in argon, determination of cross sections for (L) 625
Excitation in 100–400 kev Ar^+–Ar collisions (L) . . . 817
Excitation of forbidden lines in O^{2+}, resonances in cross sections for . . . 341
Excitation of H atoms in 2s and 2p states by fast protons, asymptotic expressions for cross sections for (L) . . . 308
Excitation of He^+ by electron impact . . . 44
Excitation, 1*s*–*ns*, by fast protons, cross sections of H atoms for (L) . . . 151

PAGE

Excitation, rotational, in thermal-energy atom–molecule collisions 1155
Excitation, vibrational, in carbon monoxide, recalculation of 1332
Excitations, 2s and 2p, of hydrogen by proton and helium-ion impact 1044
Excited states, doubly, and 2 ^{3}S state of helium, calculation of line strengths for transitions between 521

Fields, electrostatic, in gases, longitudinal diffusion of electrons in 696
Fluorescence, alkali, quenching by rare gases 719
Fluorescence decay, donor, effect of resonance energy transfer on 1084
Fragmentation of molecular gases by 5–45 kev He^+ ions 534
Franck–Condon factors for $v' = 0$ progression of N_2 fourth positive band system (L) . 626
Frequency-dependent dipole shielding factors 984
Frequency shifts in double-resonance experiments caused by oscillating magnetic fields of intermediate strength 1097
Frequency spectrum of depolarized light scattered by rigid molecule in solution 1229

Gadolinium 64, new forbidden lines in L emission spectrum of 410
Gas mixtures, non-polar, thermal relaxation and heat transfer in 898
Gases, moderately dense dipolar, thermal conductivity and viscosity of 294
Gases, molecular, fragmentation by 5–45 kev He^+ ions 534
Gases, non-polar polyatomic, thermal relaxation and heat transfer in 303
Gaussian perturbations to harmonic oscillators 1001
gf values, Hartree–Fock, for some transitions of Be sequence 1018
Glory scattering and diffraction peaks, uniform approximations for 381

Harmonic-oscillator wave functions, overlap integral of two . . . . . 1, corr. 908
Hartree–Fock calculations, self-consistent, comparison with Koopmans' theorem for prediction of ionization energies of inner and outer core electrons 1336
Hartree–Fock calculations used to reveal distortion of G^2(3d4s) integral in Ca I (L) . . 514
Hartree–Fock energies, saddle-point character of 458
Hartree–Fock equations for atoms, extended 1010
Hartree–Fock *gf* values for some transitions of Be sequence 1018
Hartree–Fock model for atomic structure, comparison of quasi-independent model with . 1131
Hartree–Fock model, relationship of quasi-independent model to 1138
Hartree–Fock multi-configuration calculations of ^{3}P, ^{1}D and ^{1}S states arising from $1s^22s^22p^2$ configuration for $Z = 7{\cdot}0$ to $Z = 30{\cdot}0$ 1214
Hartree–Fock multiplet strengths of $1s^24l\ ^2L$–$1s^24l'\ ^2L'$ transitions of lithium isoelectronic sequence 1304
Hartree–Fock orbitals, comparison with analytical orbital solution of radial equation . . 1271
Hartree–Fock–Slater integrals and semi-empirical Slater parameters for configurations $3d^94s5s$ and $3d^94s4p$ of Cu I 524
Heat transfer and thermal relaxation in non-polar polyatomic gases 303
Heavy-particle collisions, approximations to two-state impact-parameter treatment of . . 909
Helium, accurate first Born approximation cross sections for excitation by fast electrons for 26
Helium and hydrogen, atomic, first Born approximation cross sections for electron loss from fast helium atoms passing through 831
Helium, calculation of line strengths for transitions between doubly excited states and 2 ^{3}S state of 521
Helium, doubly ionized, collisions with H(1s), resonance charge transfer in 843
Helium, electrons elastically scattered by, measurements of angular distributions of . . 1180
Helium, excitation and relaxation effects on laser action in 902
Helium 4 charge state fractions in thin carbon foils, measurement of 691
Helium-ion and proton impact, 2s and 2p excitations of hydrogen by 1044
Helium, ionization by high-energy electrons, cross section for, calculated using Born approximation 1125
Helium, ionization by high-energy protons 653
Helium, ionization coefficients in 890
Helium ions, singly ionized, formation of, in charge-changing collisions during passage of fast helium beams through hydrogen 465
Helium isoelectronic sequence, dipole polarizabilities of 2 ^{1,3}S states in 1309

PAGE

Helium–neon mixtures, ionization coefficients in 890
Helium, positron diffusion and annihilation in 1278
Helium, quenching of orthopositronium by . . . . . corr. 730
Helium, resonant differential scattering of electrons by 741
Helium sequence, relativistic corrections to eigenvalues of $1snsS$ states of 24
Helium, singly ionized, fragmentation of molecular gases by 5–45 kev ions of . . . 534
Helium, singly ionized, excitation by electron impact 44
Helium, singly ionized, reaction with argon to give $He^+ + Ar \rightarrow He + (Ar^+)^*$ at low energies 1353
Helium, singly ionized, single ionization by electron impact, ranges of validity of Born and Bethe approximations for 1347
Hexafluorides, Jahn–Teller effect in 270
Hydrodynamic model of radiation-driven breakdown wave propagation, ionization effects in 544
Hydrogen and deuterium plasmas, highly ionized, decay of 1069
Hydrogen and helium, atomic, first Born approximation cross sections for electron loss from fast helium atoms passing through 831
Hydrogen, atomic, application of simplified second Born approximation to scattering of electrons and protons by 1202
Hydrogen, atomic, exchange cross sections for electron impact ionization of . . . 162
Hydrogen, atomic, excitation by electron impact, application of polarized-orbital approximation to 1313
Hydrogen, atomic, ionization by proton impact 631
Hydrogen, atomic, matrix elements for bound–free transitions in 1209
Hydrogen, atomic, scattering of electrons by, using pseudo-state expansion 1142
Hydrogen atoms, asymptotic expression for 1s–*ns* excitation cross section of fast protons by (L) 1118
Hydrogen atoms, excited, and protons, classical approximation for resonance charge transfer between 857
Hydrogen atoms, excited, and protons, quantal two-state approximation for resonance charge transfer between 851
Hydrogen atoms, excited, ionization by collisions with H, Li or Na 322
Hydrogen atoms, interaction potentials between 314
Hydrogen atoms, 1s–*ns* excitation cross sections for excitation by fast protons (L) . . 151
Hydrogen atoms in 2s or 2p states, asymptotic expressions for cross sections for excitation by fast protons (L) 308
Hydrogen, determinations of drift velocity and lateral diffusion of positive ions in . . 780
Hydrogen–helium excitation collisions, multi-state impact-parameter treatment of . . 913
Hydrogen in inert gas, long-range interactions and hyperfine pressure shift 1110
Hydrogen ions, kev, back-scattering in solids 661
Hydrogen, metastable, collisional quenching of 1357
Hydrogen molecule ion, three-parameter wave function for 311
Hydrogen, negatively ionized, electron detachment by electron impact 159
Hydrogen, 2s and 2p excitations by proton and helium-ion impact 1044
Hyperfine components of Cs I 4555 Å line, broadening of 274
Hyperfine constants, effective, of state $5\ ^2P_{3/2}$ of ^{39}K induced by oscillating magnetic field, change in 1104
Hyperfine pressure shift and long-range interactions, hydrogen in inert gas 1110
Hyperfine structure of ground state of samarium atom, analysis of 1257
Hypervirial theorems for multipole moment operators 433

I

Impact, electron, *see* Electron impact
Impact, ion, *see* Ion impact
Impact-parameter treatment, multi-state, of hydrogen–helium excitation collisions . . 913
Impact-parameter treatment, two-state, of heavy-particle collisions, approximations to . 909
Impact, proton, *see* Proton impact
Inelastic collisions of slow atoms 941
Infra-red spectra of hexafluorides, complications caused by Jahn–Teller effect . . . 270
Interactions, alkali atom with atoms and non-reactive diatomic molecules at thermal energies, total collision cross sections and van der Waals constants for 603
Interactions, van der Waals, between atoms, upper and lower bounds to 517
Ion, hydrogen molecule, three-parameter wave function for 311

PAGE

Ion impact, ionization of complex atoms by (L) 1255
Ion–molecule reactions, drift measurements of 91
Ionic recombination, three-body, at moderate and high gas densities 184
Ionization and excitation cross sections, electron impact, of atoms with two outer-shell electrons 878
Ionization coefficients in helium, neon and helium–neon mixtures 890
Ionization coefficients, total secondary, and breakdown potentials of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders 216
Ionization coefficients, total secondary, and breakdown potentials of monatomic gases between mild steel coaxial cylinders 201
Ionization cross sections, electron impact, of Mg^{2+} ions, measurements of, and note on classical scaling law 1176
Ionization cross sections for ionization of Li^+ to Li^{3+} by electron impact 1169
Ionization effects in hydrodynamic model of radiation-driven breakdown wave propagation . 544
Ionization, electron impact, of atomic hydrogen, exchange cross sections for 162
Ionization, impact, of Na, K, Rb and Cs by electron and proton impacts 155
Ionization of atomic hydrogen by proton impact 631
Ionization of complex atoms by ion impact (L) 1255
Ionization of excited H atoms by collisions with H, Li or Na 322
Ionization of He and Li by electron impact, Born cross sections for 1323
Ionization of helium by high-energy electrons, cross section for, calculated using Born approximation 1125
Ionization of helium by high-energy protons 653
Ionization of H^- by electron impact 159
Ionization of Li^+ to Li^{3+} by electron impact. 1169
Ionization potentials of clustered alkali metal atoms 478
Ionization, single, of He^+ and Li^+ ions by electron impact, ranges of validity of Born and Bethe approximations for 1347
Ions, CO_2^+ and N_2O^+, study of electronic structure by LCAO–MO–SCF method 1261
Ions, 5–45 kev He^+, fragmentation of molecular gases by 534
Ions, gaseous, in strong electric fields under influence of charge-transfer collisions, diffusion of 86
Ions in sulphur hexafluoride, drift velocities of 777
Ions, kev hydrogen, back-scattering in solids 661
Ions, negative oxygen, electron detachment from, at beam energies in range 3 to 100 ev . 191
Ions, positive, asymptotic solutions of coupled equations for electron collisions with . 731
Ions, positive, in hydrogen, determinations of drift velocity and lateral diffusion of . . 780
Ions, positive oxygen, in oxygen, drift velocity measurements for (L) 423
Ions, Si XI and Si XII, grazing incidence spectra of (L) 727
Ions with configurations $1s^22s^22p^3$, electron impact transitions between fine structure levels in (L) 427
Isotope effect, possible, search for in charge-changing collisions involving hydrogen and deuterium 772
Isotope shift in 7229 Å in lead measured under superradiant conditions (L) 147
Isotope shift measurements in spectrum of trebly ionized cerium (Ce IV) 260
Isotope shift studies of visible and ultra-violet bands of AlO 119
Isotope shifts in neodymium, interpretation of 268

Jahn–Teller effect in hexafluorides 270

Kα doublet of chromium and its halides, X-ray investigation of 507
Kinetic corrections, atomic susceptibilities from statistical electron models with . . 995
Krypton, singly ionized, and Xe^+ $^2P_{3/2}$ and $^2P_{1/2}$ ions, symmetric charge transfer involving (L) 814

L emission spectrum of ^{64}Gd, new forbidden lines in 410
L emission spectrum of thulium 69, new diagram lines in α region of 419
L emission spectrum of Sm 62, study of weak lines in 282
Laser action in helium, excitation and relaxation effects on 902
Laser light in radiation-driven breakdown waves in gases, scattering of 403
Lead, isotope shifts in 7229 Å transition in, measured under superradiant conditions (L) . 147

PAGE

Lennard-Jones potential for some excited states of noble gases, calculation of repulsive force constants of . . . 437
Light, depolarized, scattered by rigid molecule in solution, frequency spectrum of . . 1229
Line strengths for transitions between doubly excited states and 2 ^3S state of helium, calculation of . . . 521
Lithium atom, interpretation of energies of ^2D states, in terms of polarization of core by outer electron (L) . . . 1410
Lithium atoms, scattering of electrons by . . . 869
Lithium isoelectronic sequence, Hartree–Fock multiplet strengths of $1s^24l\ ^2L$–$1s^24l'\ ^2L'$ transitions of . . . 1304
Lithium, singly ionized, single ionization by electron impact, ranges of validity of Born and Bethe approximations for . . . 1347
Lithium, singly ionized to triply ionized by electron impact . . . 1169
Luminescence, alpha-particle induced, in argon in electric field . . . 571
Lyman α radiation, polarization in hydrogen–rare-gas collisions . . . 19

m quantization, initial-state, in binary-encounter theory . . . 976
Magnesium bromide, rotational analysis of (0,0) bands of A $^2\Pi \rightarrow$ X $^2\Sigma^+$ system of (L) . . . 515
Magnetic field, oscillating, change in effective hyperfine constants of state 5 $^2P_{3/2}$ of ^{39}K induced by . . . 1104
Magnetic fields, oscillating, of intermediate strength, frequency shifts in double-resonance experiments caused by . . . 1097
Magnetic quadrupole transitions in x-ray spectra (L) . . . 150
Magnetic resonance, atomic beam, nuclear dipole, quadrupole and octupole moments of ^{155}Gd by . . . 122
Maser, repetitive Q-modulated HCN gas . . . 247
Mercury positive column, two-stage processes in . . . 471
Mercury, relativistic and exchange effects in electron scattering from . . . 356
Mercury, singly ionized, in atomic mercury, charge-transfer cross sections and mobilities for 821
Methane d_2 in region 5880–6136 cm^{-1}, analysis of B-type vibration–rotation band of . 499
Mobilities and charge-transfer cross sections for Hg^+ ions in atomic mercury . . . 821
Mobility and diffusion cross section of atomic xenon ion in xenon . . . 790
Molecular transitions, application of Coulomb approximation to . . . 65
Molecules, diatomic, resonance scattering of electrons by . . . 367
Monte Carlo simulation of electrical discharges in gases . . . 562

Neodymium, investigation of isotope shifts in . . . 268
Neon, ionization coefficients in . . . 890
Neon, total excitation cross section in, determination by comparison of theoretical and experimental values of Townsend's primary ionization coefficient . . . 551
Nitrogen molecule fourth positive band system, Franck–Condon factors for $v' = 0$ progression of (L) . . . 626
Nitrogen, second positive bands of, absolute cross sections for electron excitation of . . 52
Noble gases, calculation of repulsive force constants of Lennard-Jones potential for some excited states of . . . 437
Nuclear dipole, quadrupole and octupole moments of ^{155}Gd by atomic beam magnetic resonance . . . 122

Operators, multipole moment, hypervirial theorems for . . . 433
Optical absorption measurements, time-resolved, of excited-atom concentrations in afterglow . . . 966
Optical continuum, radiation damping in . . . 757
Optical detection of electron polarization . . . 747
Orbitals, LCAO–MO–SCF method, study of electronic structure of ions CO_2^+ and N_2O^+ by . . . 1261
Orthopositronium, paramagnetic quenching of . . . 966
Orthopositronium, quenching by helium . . . 730
Oscillator strengths, generalized, in electron impact spectra of potassium and sodium . . . 285
Oscillator strengths, generalized, in electron impact spectra of rubidium and caesium . . . 484
Oscillator, three-dimensional quartic, energy levels of . . . 647
Oscillators, harmonic, Gaussian perturbations to . . . 1008

PAGE

Oxygen, analysis of electron swarm experiments in 393
Oxygen, doubly ionized, resonances in cross sections for excitation of forbidden lines in . 341
Oxygen Herzberg I band system, intensity measurements on $A\ ^3\Sigma_u^+ - X\ ^3\Sigma_g^-$ 1240
Oxygen ions, negative, electron detachment from, at beam energies in range 3 to 100 ev . 191
Oxygen ions, positive, in oxygen, drift velocity measurements for (L) 423
Oxygen, singly ionized, excitation of bands by electron impact 529
Oxygen, singly ionized, $2p^3\ ^2D_{3/2}-^2D_{5/2}$, resonances in collision strengths for, quantum defect theory applied to 333

Paramagnetic quenching of orthopositronium 966
Particles, identical, collision problems with 1274
Peaking approximation in scattering theory 15
Perturbations, Gaussian, to harmonic oscillators 1001
Photoexcitation and photoionization, off-resonance, of gas 175
Photoionization and photoexcitation, off-resonance, of gas 175
Photoionization continua of argon, krypton and xenon, discrete structure in 40–60 Å region of 277
Plasma focus discharge, spectra of highly ionized neon and argon in 798
Plasma in local thermodynamic equilibrium, diagnostic method for determining temperature and electron concentration of 706
Plasmas, highly ionized hydrogen and deuterium, decay of 1069
Polar gas molecules, screened, elastic electron scattering by (L) 145
Polar molecules, scattering of thermal electrons by 71
Polarizabilities, dipole, of $2\ ^{1,3}S$ states in helium isoelectronic sequence 1309
Polarization corrections to core levels 1336
Polarization, electron, optical detection of 747
Polarization of core by outer electron, interpretation of energies of ^2D states of lithium atom in terms of (L) 1411
Polarization of Lyman α radiation in hydrogen–rare-gas collisions 19
Polarized absorption spectra of fluorene single crystal 1235
Polarized-orbital approximation to electron impact excitation of atomic hydrogen . . 1313
Positron diffusion and annihilation in helium 1278
Potassium line 4047 Å perturbed by krypton, collision broadening and satellite bands in . 1396
Potential, Coulomb, separable expansion for off-shell two-body t matrix with . . . 12
Potential, Lennard-Jones, calculation of repulsive force constants of, for some excited states of noble gases 437
Potentials, breakdown, and total secondary ionization coefficients of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders 216
Potentials, breakdown, and total secondary ionization coefficients of monatomic gases between mild steel coaxial cylinders 201
Potentials, H–H interaction 314
Potentials, ionization, of clustered alkali metal atoms 478
Predissociation of upper electronic state (A) of 3680 Å transition in CrH 541
Proton and electron impact ionization of Na, K, Rb and Cs 155
Proton and helium-ion impact, 2s and 2p excitations of hydrogen by 1044
Proton impact, ionization of atomic hydrogen by 631
Proton impact on argon, determination of cross sections for excitation induced by (L) . 625
Protons, and electrons, scattering by atomic hydrogen, application of simplified second Born approximation to 1202
Protons and excited hydrogen atoms, classical approximation for resonance charge transfer between 857
Protons and excited hydrogen atoms, quantal two-state approximation for resonance charge transfer between 851
Protons, fast, asymptotic expressions for cross sections for excitation of H atoms in 2s and 2p states by (L) 308
Protons, fast, asymptotic expression for 1s–ns excitation cross section of H atoms by (L) . 1118
Protons, high-energy, ionization of helium by 653

Q-modulated, repetitive, HCN gas maser 247
Quadrupole transitions, magnetic in x-ray spectra (L) 150

PAGE

Quantal two-state approximation for resonance charge transfer between protons and excited hydrogen atoms . . . 851
Quantum defect theory, analysis of resonance structures . . . 5
Quantum defect theory, resonances in collision strengths for O^+ $2p^3$ $^3D_{3/2}$–$^3D_{5/2}$ . . . 333
Quasi-independent model, relationship to Hartree–Fock model . . . 1138
Quenching, collisional, of metastable hydrogen . . . 1357
Quenching, paramagnetic, of orthopositronium . . . 966
Quenching of alkali fluorescence by rare gases . . . 719
Quenching of orthopositronium by helium . . . corr. 730

Radiation damping in optical continuum . . . 757
Radiation-driven breakdown wave propagation, ionization effects in hydrodynamic model of . . . 544
Radiation-driven breakdown waves in gases, scattering of laser light in . . . 403
Rare-gas discharges, pulsed, investigations of afterglows in frequency range 200–1500 MHz . . . 234
Rare gases, discrete structure in 40–60 Å region of photoionization continua of . . . 277
Rare gases, quenching of alkali fluorescence by . . . 719
Recombination, three-body ionic, at moderate and high gas densities . . . 184
Relativistic and exchange effects in electron scattering from mercury . . . 356
Relativistic corrections to eigenvalues of $1sns$ $^{1,3}S$ states of helium sequence . . . 24
Relaxation and excitation effects on laser action in helium . . . 902
Relaxations, thermal, *see* Thermal relaxation
Resonance charge transfer between protons and excited hydrogen atoms, classical approximation for . . . 857
Resonance charge transfer between protons and excited hydrogen atoms, quantal two-state approximation for . . . 851
Resonance charge transfer in He^{2+}–H(1s) collisions . . . 843
Resonance energy transfer, effect on donor fluorescence decay . . . 1084
Resonance, magnetic, *see* Magnetic resonance
Resonance (off-) photoexcitation and photoionization of gas . . . 175
Resonance structures, analysis of, application of quantum defect theory to . . . 5
Resonance widths in e–H scattering, variational calculations of . . . 766
Resonances, discrete, structure in 40–60 Å region of photoionization continua of argon, krypton and xenon . . . 277
Resonances in collision strengths for O^+ $2p^3$ $^3D_{3/2}$–$^3D_{5/2}$, quantum defect theory applied to . . . 333
Resonances in cross sections for excitation of forbidden lines in O^{2+} . . . 341
Rotation–vibration band, B-type, of methane d_2 in region 5880–6136 cm^{-1}, analysis of . . . 499
Rotational analysis of (0,0) bands of A $^2\Pi \rightarrow X$ $^2\Sigma^+$ system of MgBr (L) . . . 515
Rotational analysis of C $^3\Sigma_u^- - X$ $^3\Sigma_g^-$ system of $^{32}S_2$ . . . 413
Rotational structure of 2250 Å system of BiF molecule (L) . . . 628
Rutherford scattering of electron by proton, derivation of correspondence identities for 578, 590

Saddle-point character of Hartree–Fock energies . . . 458
Samarium atom, analysis of hyperfine structure of ground state of . . . 1257
Samarium 62, study of weak lines in L emission spectrum of . . . 282
Satellites, pressure-induced, in red wings of spectral lines . . . 1388
Scattering angles, binary collision, computer calculations of using Born–Mayer potential for interacting argon and gold atoms . . . 972
Scattering (back-) of kev hydrogen ions in solids . . . 661
Scattering, electron–helium elastic, below ^2S resonance, phase-shift analysis of . . . 1187
Scattering, elastic, by neutral atoms, phase shifts for, using isoelectronic sequence extrapolation techniques . . . 442
Scattering, elastic electron, by screened polar gas molecules (L) . . . 145
Scattering, electron, by atomic hydrogen using pseudo-state expansion, elastic scattering . . . 1142
Scattering, electron, from mercury, relativistic and exchange effects in . . . 356
Scattering, e–H, variational calculations of resonance widths in . . . 766
Scattering, electron, model which includes correlation effects for (L) . . . 1120
Scattering, electron, uniqueness of solutions of close-coupling equations for . . . 1300
Scattering, glory, and diffraction peaks, uniform approximations for . . . 381
Scattering of electrons and protons by hydrogen atoms, application of simplified second Born approximation to . . . 1202

PAGE
Scattering of electrons by lithium atoms 869
Scattering of laser light in radiation-driven breakdown waves in gases 403
Scattering of thermal electrons by polar molecules 71
Scattering problems, intermediate energy, iterative method for solving 1293
Scattering, resonance, of electrons by diatomic molecules 367
Scattering, resonant differential, of electrons by helium 741
Scattering, Rutherford, of electron by proton, derivation of correspondence identities for 578, 590
Scattering theory, peaking approximation in 15
Screening constant σ_2 for N doublets in X-ray spectra 1094
Screening constants in X-ray spectra 811
Screening parameters, atomic, method for determination of 137
Shift-to-width ratio of Ar II 4806 Å 1090
Silicon XI and XII ions, grazing incidence spectra of (L) 727
Spectra, band, of singlet systems of TiO molecule 490
Spectra, electron impact, of potassium and sodium, generalized oscillator strengths in . 285
Spectra, electron impact, of rubidium and caesium, generalized oscillator strengths in . 484
Spectra, grazing incidence, of Si XI and Si XII ions (L) 727
Spectra of carbon ions by beam-foil method 1378
Spectra of highly ionized neon and argon in plasma focus discharge 798
Spectra, polarized absorption, of fluorene single crystal 1235
Spectra, X-ray, classification of forbidden transitions in 134
Spectra, X-ray, magnetic quadrupole transitions in (L) 150
Spectra, X-ray, on magnetic dipole transitions in (L) 1122
Spectra, X-ray satellite, spin doublets in 1402
Spectra, X-ray, screening constant σ_2 for N doublets in 1094
Spectra, X-ray, screening constants in 811
Spectral lines, red wings of, pressure-induced satellites in 1388
Spectrum, Cu I, estimation of quadratic Stark shifts in (L) 425
Spectrum, emission band, of SiBr in visible region 1381
Spectrum, emission band, visible, of GeBr 1385
Spectrum, frequency, of depolarized light scattered by rigid molecule in solution . . 1229
Spectrum, L emission, of ^{64}Gd, new forbidden lines in 410
Spectrum, L emission, of Sm 62, study of weak lines in 282
Spectrum, L emission, of thulium 69, new diagram lines in α region of 419
Spectrum of trebly ionized cerium (Ce IV), isotope shift measurements in 260
Spectrum, thermal emission, of diatom AlSe (L) 627
Spin doublets in X-ray satellite spectra 1402
Stark shifts, quadratic, in Cu I, estimation of (L) 425
States, ^{2}D, of lithium atom in terms of polarization of core by outer electron (L) . . 1411
States, $1snS$ ^{1,3}S, of helium sequence relativistic corrections of eigenvalues of . . . 24
States, ^{3}P, ^{1}D and ^{1}S, arising from $1s^22s^22p^3$ configuration for $Z = 7{\cdot}0$ to $Z = 30{\cdot}0$, multi-configuration Hartree–Fock calculations of 1214
Statistical electron models with kinetic, exchange and correlation corrections, atomic susceptibilities from 995
Structures, atomic, programme for calculating 1028
Sulphur hexafluoride, drift velocities of ions in 777
Sulphur molecule, D $^3\Pi$ state of (L) 906
Sulphur 32 molecule, rotational analysis of C $^3\Sigma_u^-$–X $^3\Sigma_g^-$ system of 413
Susceptibilities, atomic, from statistical electron models with kinetic, exchange and correlation corrections 995
Swarm, electron, experiments in oxygen, analysis of 393

t matrix, off-shell two-body, with Coulomb potential, separable expansion for 12
Thermal conductivity and viscosity of moderately dense dipolar gases 294
Thermal diffusion factor for system CO–CH_3Cl and CO_2–CH_3Cl, composition dependence of 715
Thermal emission spectrum of diatom AlSe (L) 627
Thermal relaxation and heat transfer in non-polar gas mixtures 898
Thermal relaxation and heat transfer in non-polar polyatomic gases 303
Three-body ionic recombination at moderate and high gas densities 184
Thulium 69, new diagram lines in α region of L emission spectrum of 419

PAGE

Titanium oxide molecule, band spectra of singlet systems of 490
Townsend–Huxley diffusion experiment, analysis from viewpoint of kinetic theory and application to case of elastic collisions and constant collisional theory . . 669
Townsend–Huxley diffusion experiment, extension of analysis to constant cross section gas . 680
Townsend's primary ionization coefficient, determination of total excitation cross section in neon by comparison of theoretical and experimental values of 551
Transition integrals, molecular, application of Coulomb approximation to 65
Transitions, bound–free, in atomic hydrogen, matrix elements for 1209
Transitions, $1s^2 4l\ {}^2L – 1s^2 4l'\ {}^2L'$, of lithium isoelectronic sequence, Hartree–Fock multiplet strengths of 1304

Ultra-violet and visible bands of AlO isotope shift studies of 119
Ultra-violet, vacuum, spectrum of zinc vapour, absorption cross-section measurements on 107

Vibration–rotation band, B-type, of methane d_2 in region 5880–6136 cm^{-1}, analysis of . 499
Vibrational excitation in carbon monoxide, recalculation of 1332
Vibrational transition probabilities of bands of BaO ($A\ {}^1\Sigma – X\ {}^1\Sigma$) system 115
Viscosity and thermal conductivity of moderately dense dipolar gases 294

van der Waals constants and total collision cross sections for alkali atom interactions with atoms and non-reactive diatomic molecules at thermal energies 603
van der Waals interactions between atoms, upper and lower bounds to 517
Wave function, three-parameter, for hydrogen molecule ion 311
Wave functions, analytical orbital, for two-electron atom. 1271
Wave functions for helium, use for calculation of line strengths for transitions between doubly excited states and $2\ {}^3S$ state 521
Wave functions, two harmonic-oscillator, overlap integral of . . . . . 1, corr. 908
Wave propagation, radiation-driven breakdown, ionization effects in hydrodynamic model of 544
Wigner threshold law for electron impact excitation, corrections for long-range interactions (L) 145

X-ray investigation of Kα doublet of chromium and its halides 507
X-ray satellite spectra, spin doublets in 1402
X-ray spectra, classification of forbidden transitions in 134
X-ray spectra, magnetic quadrupole transitions in (L) 150
X-ray spectra, on magnetic dipole transitions in (L) 1122
X-ray spectra, screening constant σ_2 for N doublets in 1094
X-ray spectra, screening constants in 811
Xenon ion, atomic, mobility and diffusion cross section in xenon 790
Xenon, singly ionized, and $Kr^+\ {}^2P_{3/2}$ and ${}^2P_{1/2}$ ions, symmetric charge transfer involving (L) 814

Zinc vapour, absorption cross-section measurements on vacuum ultra-violet spectrum of . 107

AUTHOR INDEX (WITH TITLES)

PAGE

Ahmad, N., Gale, B. C., and Key, M. H.: Scattering of laser light in radiation-driven breakdown waves in gases 403

Aitken, K. L., with Rundel, R. D., and Harrison, M. F. A.: Measurement of cross section for charge exchange in H^+–H^- collisions 954

Ali, M. A., and Schaad, L. J.: Hartree–Fock *gf* values for some transitions of Be sequence . 1018

Ali, M. A., and Schaad, L. J.: Hartree–Fock multiplet strengths of $1s^24l\,^2L$–$1s^24l'\,^2L'$ transitions of lithium isoelectronic sequence 1304

Allison, D. C. S., and Burke, P. G.: Inelastic collisions of slow atoms 941

Austin, J. M., with Marr, G. V.: Absorption cross-section measurement on vacuum ultra-violet spectrum of zinc vapour 107

Avivi, P., with Ya'akobi, B.: Diagnostic method for plasma in local thermodynamic equilibrium 706

Awan, A. M., with Hasted, J. B.: Resonance scattering of electrons by diatomic molecules . 367

Babu Rao, K., and Haranath, P. B. V.: Emission band spectrum of GeCl in visible region . 1080

Babu Rao, K., and Haranath, P. B. V.: Emission band spectrum of SiBr in visible region . 1381

Babu Rao, K., and Haranath, P. B. V.: Visible emission band spectrum of GeBr . . 1385

Bagus, P. S., and Moser, C. M.: Multi-configuration Hartree–Fock calculations: III—Calculations of ^3P, ^1D and ^1S states arising from $1s^22s^22p^3$ configuration for $Z = 7{\cdot}0$ to $Z = 30{\cdot}0$ 1214

Bakken, G. S., Conrad, A. C., and Jordan, J. A., Jr.: Carbon spectra by beam-foil method . 1378

Banks, D., Vriens, L., and Bonsen, T. F. M.: Initial-state *m* quantization in binary-encounter theory 976

Barker, M. I., and Bransden, B. H.: Quenching of orthopositronium by helium . corr. 730

Barrow, R. F., du Parcq, R. P., and Ricks, J. M.: Rotational analysis of c $^3\Sigma_u^-$–x $^3\Sigma_g^-$ system of $^{32}S_2$ 413

Barrow, R. F., with Ricks, J. M.: D $^3\Pi$ state of S_2 (L) 906

Barrow, R. F., with Walker, T. E. H.: A $^3\Pi$–x $^2\Sigma^+$ system of BeF 102

Barua, A. K., with Deb, S. K., and Ghosh, A. K.: Composition dependence of thermal diffusion factor for system CO–CH_3Cl and CO_2–CH_3Cl 715

Bates, D. R., Dose, V., and Young, N. A.: Classical treatment of electron loss . . . 930

Bates, D. R., and Fink, W. H.: Application of Coulomb approximation to molecular transitions 65

Bates, D. R., and Flannery, M. R.: Three-body ionic recombination at moderate and high gas densities 184

Bates, D. R., and Reid, R. H. G.: Resonance charge transfer between protons and excited hydrogen atoms: I—Quantal two-state approximation 851

Bates, D. R., and Reid, R. H. G.: Resonance charge transfer between ions and excited hydrogen atoms: II—Classical approximations 857

Bell, K. L., Dose, V., and Kingston, A. E.: First Born approximation cross sections for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium 831

Bell, K. L., Kennedy, D. J., and Kingston, A. E.: Accurate first Born approximation cross sections for excitation of helium by fast electrons 26

Bell, K. L., and Kingston, A. E.: Ionization of helium by high-energy protons . . 653

Bell, K. L., and Kingston, A. E.: Ionization of helium by high-energy electrons . . 1125

Bell, S.: Gaussian perturbations to harmonic oscillators 1001

Bely, O., and Schwartz, S. B.: Electron detachment from H^- by electron impact . . 159

Bennett, J. R., and Collinson, A. J. L.: Alpha-particle induced luminescence in argon in electric field 571

Bergwall, S., with Nigavekar, A. S.: X-ray investigation of Kα doublet of chromium and its halides 507

Berry, M. V.: Uniform approximations for glory scattering and diffraction peaks . . 381

Bhide, M. G., and Majumdar, C. K.: Paramagnetic quenching of orthopositronium . . 966

Boardman, A. D., and Sampanthar, S.: Elastic electron scattering by screened polar gas molecules (L) 145

Bonsen, T. F. M., with Banks, D., and Vriens, L.: Initial-state *m* quantization in binary-encounter theory 976

Bottcher, C.: Variational calculations of resonance widths in e–H scattering . . . 766

Boyle, L. L., and Murray, J.: Hypervirial theorems for multipole operators . . . 433

PAGE

Brandus, L.: Method for determination of atomic screening parameters 137
Bransden, B. H., and McDowell, M. R. C.: Phase-shift analysis of electron–helium scattering: I—Elastic scattering below ^2S resonance 1187
Bransden, B. H., with Barker, M. I.: Quenching of orthopositronium by helium . corr. 730
Bridgett, K. A., and King, T. A.: Excitation and relaxation effects on laser action in helium 902
Browne, J. C., and Dalgarno, A.: Detachment in collisions of H and H^- 885
Browning, R., Latimer, C. J., and Gilbody, H. B.: Fragmentation of molecular gases by 5–45 kev He^+ ions 534
Browning, R., with Gilbody, H. B., Dunn, K. F., and McIntosh, A. I.: Formation of He^- ions in charge-changing collisions during passage of fast helium beams through hydrogen 465
Browning, R., with Latimer, C. J., and Gilbody, H. B.: Dissociation and charge transfer in 1·4–46 kev H_2^+–H_2 collisions 1055
Burke, P. G., Gallaher, D. F., and Geltman, S.: Electron scattering by atomic hydrogen using pseudo-state expansion: I—Elastic scattering 1142
Burke, P. G., Scrutton, D., Tait, J. H., and Taylor, A. Joanna: Thermal-energy atom–molecule collisions 1155
Burke, P. G., and Taylor, A. Joanna: Excitation of He^+ by electron impact 44
Burke, P. G., and Taylor, A. Joanna: Scattering of electrons by lithium atoms 869
Burke, P. G., with Allison, D. C. S.: Inelastic collisions of slow atoms 941
Burns, D. J., Simpson, F. R., and McConkey, J. W.: Absolute cross sections for electron excitation of second positive bands of nitrogen 52

Caroli, C., and Parodi, O.: Frequency spectrum of depolarized light scattered by rigid molecule in solution 1229
Carter, G., with Smith, A. G.: Computer calculations of binary collision scattering angles using Born–Mayer potential for interacting argon and gold atoms 972
Chakravorty, S. C., and Ganguly, S. C.: Polarized absorption spectra of fluorene single crystal 1235
Champion, R. L., and Doverspike, L. D.: On reaction $He^+ + Ar \rightarrow He + (Ar^+)^*$ at low energies 1353
Chaudhry, A. K., Upadhya, K. N., and Rai, D. K.: Rotational structure of 2250 Å system of BiF molecule (L) 628
Chen, J. C. Y., and Ishihara, T.: Separable expansion for off-shell two-body t matrix with Coulomb potential 12
Ch'en, S. Y., Lewis, E. L., and Stacey, D. N.: Broadening of hyperfine components of Cs I 4555 Å line by argon 274
Choi, B.-H., with Khandelwal, G. S.: Asymptotic expressions for cross sections for excitation of H atoms in 2s and 2p states by fast protons (L) 308
Chowdhury, S. S.: Measurement of shift-to-width ratio of Ar II 4806 Å 1090
Christodoulides, A. A., with Christophorou, L. G.: Scattering of thermal electrons by polar molecules 71
Christophorou, L. G., and Christodoulides, A. A.: Scattering of thermal electrons by polar molecules 71
Clark, J. L., with Croucher, D. J.: Total collision cross sections and van der Waals constants for alkali atom interactions with atoms and non-reactive diatomic molecules at thermal energies 603
Clark, R. G., and Stewart, E. T.: Three-parameter wave function for hydrogen molecule ion 311
Cohen, M., with McEachran, R. P.: Analytical orbital wave functions for two-electron atom 1271
Cole, J. B., with Deech, J. S., and Sanders, J. H.: Isotope shifts in 7229 Å transition in lead measured under superradiant conditions (L) 147
Collinson, A. J. L., with Bennett, J. R.: Alpha-particle induced luminescence in argon in electric field 571
Conkie, W. R., and Singh, S. R.: Iterative method for solving intermediate energy scattering problems 1293
Conrad, A. C., with Bakken, G. S., and Jordan, J. A., Jr.: Carbon spectra by beam-foil method 1378
Coulson, C. A., with Hibbert, A.: Saddle-point character of Hartree–Fock energies . . 458
Croucher, D. J., and Clark, J. L.: Total collision cross sections and van der Waals constants for alkali atom interactions with atoms and non-reactive diatomic molecules at thermal energies 603

PAGE

Dalgarno, A., with Browne, J. C.: Detachment in collisions of H and H^- 885
Dalgarno, A., with Kaveeshwar, V. G., and Hurst, R. P.: Frequency-dependent dipole shielding factors 984
Damburg, R. J.: Threshold law for electron impact excitation of ns–$n's$ transitions in atoms (L) 145
Davies, G. R., and Gilbody, H. B.: Symmetric charge transfer involving $^2P_{3/2}$ and $^2P_{1/2}$ Kr^+ and Xe^+ ions (L) 814
Davies, P. C. W., and Seaton, M. J.: Radiation damping in optical continuum 757
Davison, W. D.: Long-range interactions and hyperfine pressure shift: hydrogen in inert gas 1110
Deb, S. K., Ghosh, A. K., and Barua, A. K.: Composition dependence of thermal diffusion factor for system CO–CH_3Cl and CO_2–CH_3Cl 715
Deech, J. S., Cole, J. B., and Sanders, J. H.: Isotope shifts in 7229 Å transition in lead measured under superradiant conditions (L) 147
Degen, V., and Nicholls, R. W.: Intensity measurements on A $^3\Sigma_u^+$–X $^3\Sigma_g^-$ Herzberg I band system of O_2 1240
Deodhar, G. B., and Rai, S.: Spin doublets in x-ray satellite spectra. 1402
Deodhar, G. B., and Varma, P. P.: New forbidden lines in L emission spectrum of ^{64}Gd . 410
Dolder, K. T., with Gibson, J. R.: Measurements of angular distributions of electrons elastically scattered by helium 1180
Dolder, K. T., with Gibson, J. R.: Resonant differential scattering of electrons by helium . 741
Dolder, K. T., with Peart, B.: Ionization of Li^+ to Li^{3+} by electron impact 1169
Dolder, K. T., with Peart, B., and Martin, S. O.: Measurements of electron impact ionization cross sections of Mg ions and note on classical scaling law 1176
Dolder, K. T., with Peart, B., and Walton, D. S.: Ranges of validity of Born and Bethe approximations for single ionization of He^+ and Li^+ ions by electron impact. . 1347
Dose, V.: Polarization of Lyman α radiation in hydrogen–rare-gas collisions 19
Dose, V., with Bates, D. R., and Young, N. A.: Classical treatment of electron loss . . 930
Dose, V., Meyer, V., and Salzmann, M.: Collisional quenching of metastable hydrogen . 1357
Dose, V., with Bell, K. L., and Kingston, A. E.: First Born approximation cross sections for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium 831
Doverspike, L. D., with Champion, R. L.: On reaction $He^+ + Ar \rightarrow He + (Ar^+)^*$ at low energies 1353
Dowling, J., Jr., Wray, J. H., and Meister, A. G.: Analysis of B-type vibration–rotation band of methane d_2 in region 5880–6136 cm^{-1}. 499
Dunn, K. F., with Gilbody, H. B., Browning, R., and McIntosh, A. I.: Formation of He^- ions in charge-changing collisions during passage of fast helium beams through hydrogen 465
Dutt, T. L.: Investigations of afterglows of pulsed rare gas discharges in frequency range 200–1500 MHz 234
Dutton, J., Hughes, M. H., and Tan, B. C.: Ionization coefficients in helium, neon and helium–neon mixtures 890

Economides, D. G., and McDowell, M. R. C.: Born cross sections for ionization of He and Li by electron impact 1323
Edwards, M. G.: Quenching of alkali fluorescence by rare gases 719
Edwin, R. P., and King, W. H.: Isotope shift measurements in spectrum of trebly ionized cerium (Ce IV) 260
Eissner, W., and Nussbaumer, H.: Programme for calculating atomic structures . . 1028
Eissner, W., Nussbaumer, H., Saraph, H. E., and Seaton, M. J.: Resonances in cross sections for excitation of forbidden lines in O^{2+} 341
Ellis, E., and Twiddy, N. D.: Time-resolved optical absorption measurements of excited-atom concentrations in argon afterglow 1366

Farago, P. S., and Wykes, J. S.: Optical detection of electron polarization. 747
Farr, Judith M., with Hindmarsh, W. R.: Pressure-induced satellites in red wings of spectral lines 1388
Fink, W. H., with Bates, D. R.: Application of Coulomb approximation to molecular transitions 65
Fink, W. H., with Horsley, J. A.: Study of electronic structure of ions CO_2^+ and N_2O^+ by LCAO–MO–SCF method 1261

PAGE

Fitchard, E. E., with Khandelwal, G. G.: Asymptotic expression for 1s–*ns* excitation cross section of H atoms by fast protons (L) 1118
Flannery, M. R.: Approximations to two-state impact-parameter treatment of heavy-particle collisions 909
Flannery, M. R.: Multi-state impact-parameter treatment of hydrogen–helium excitation collisions 913
Flannery, M. R.: 2s and 2p excitations of hydrogen by proton and helium-ion impact . . 1044
Flannery, M. R., and Levy II, H.: H–H interaction potentials 314
Flannery, M. R., with Bates, D. R.: Three-body ionic recombination at moderate and high gas densities 184
Fleming, I. A., and Rees, J. A.: Drift velocity measurements for positive oxygen ions in oxygen (L) 425
Fleming, I. A., and Rees, J. A.: Drift velocities of ions in sulphur hexafluoride 777
Fleming, I. A., Tunnicliffe, R. J., and Rees, J. A.: Concerning determinations of drift velocity and lateral diffusion of positive ions in hydrogen 780
Forrest, J. R., and Franklin, R. N.: Two-stage processes in mercury positive column. . 471
Foster, P. J., Leckenby, R. E., and Robbins, E. J.: Ionization potentials of clustered alkali metal atoms 478
Francey, J. L. A.: Analysis of Townsend–Huxley diffusion experiment: I—Constant collisional frequency 669
Francey, J. L. A.: Analysis of Townsend–Huxley diffusion experiment: II—Constant collision cross section 680
Franklin, R. N., with Forrest, J. R.: Two-stage processes in mercury positive column . . 471
Frayne, P. G.: Repetitive *Q*-modulated HCN gas maser 247
Freeman, N. J., with McCracken, G. M.: Back-scattering of kev hydrogen ions in solids . 661
Futrelle, R. P., and McQuarrie, D. A.: Linear programming and calculation of upper and lower bounds of atomic mean excitation energies 640

Gale, B. C., with Ahmad, N., and Key, M. H.: Scattering of laser light in radiation-driven breakdown waves in gases 403
Gallaher, D. F., with Burke, P. G., and Geltman, S.: Electron scattering by atomic hydrogen using pseudo-state expansion: I—Elastic scattering 1142
Ganguly, S. C., with Chakravorty, S. C.: Polarized absorption spectra of fluorene single crystal 1235
Garg, K. B., with Nigam, A. N.: New diagram lines in L emission spectrum of thulium 69: III—α region 419
Geltman, S., with Burke, P. G., and Gallaher, D. F.: Electron scattering by atomic hydrogen using pseudo-state expansion: I—Elastic scattering 1142
Georghiou, S.: Effect of resonance energy transfer on donor fluorescence decay: study by phase and modulation technique 1084
Ghosh, A. K., with Deb, S. K., and Barua, A. K.: Composition dependence of thermal diffusion factor for system CO–CH_3Cl and CO_2–CH_3Cl 715
Gianturco, F. A., and Marriott, R.: Recalculation of vibrational excitation in carbon monoxide 1332
Gibson, J. R., and Dolder, K. T.: Measurements of angular distributions of electrons elastically scattered by helium 1180
Gibson, J. R., and Dolder, K. T.: Resonant differential scattering of electrons by helium . 741
Gilbody, H. B., Browning, R., Dunn, K. F., and McIntosh, A. I.: Formation of He^- ions in charge-changing collisions during passage of fast helium beams through hydrogen. 465
Gilbody, H. B., with Browning, R., and Latimer, C. J.: Fragmentation of molecular gases by 5–45 kev He^+ ions 534
Gilbody, H. B., with Davies, G. R.: Symmetric charge transfer involving $^2P_{3/2}$ and $^2P_{1/2}$ Kr^+ and Xe^+ ions (L) 814
Gilbody, H. B., with Latimer, C. J. and Browning, R.: Dissociation and charge transfer in 1·4–46 kev H_2^+–H_2 collisions 1055
Gilbody, H. B., with Robinson, J. M.: Excitation in 100–400 kev Ar^+–Ar collisions (L) . 817
Gokhale, B. G., and Shukla, S. N.: Study of weak lines in L emission spectrum of samarium 62 282
Goldsmith, S.: Autoionizing levels in Be III 1075
Goodyear, C. C., with Roche, A. E.: Electron detachment from negative oxygen ions at beam energies in range 3 to 100 ev 191

PAGE

Hackam, R.: Mobility and diffusion cross section of atomic xenon ion in xenon . . . 790
Hackam, R.: Total secondary ionization coefficients and breakdown potentials of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders 216
Hackam, R.: Total secondary ionization coefficients and breakdown potentials of monatomic gases between mild steel coaxial cylinders 201
Haranath, P. B. V., with Babu Rao, K.: Emission band spectrum of GeCl in visible region . 1080
Haranath, P. B. V., with Babu Rao, K.: Emission band spectrum of SiBr in visible region . 1381
Haranath, P. B. V., with Babu Rao, K.: Visible emission band spectrum of GeBr . . 1385
Harrison, M. F. A., with Rundel, R. D., and Aitken, K. L.: Measurement of cross section for charge exchange in H^+–H^- collisions 954
Hasted, J. B., and Awan, A. M.: Resonance scattering of electrons by diatomic molecules 367
Hasted, J. B., with Ong, P. P.: Drift measurements of ion–molecule reactions . . . 91
Hébert, G. R., and Nicholls, R. W.: Franck–Condon factors for $v' = 0$ progression of N_2 fourth positive band system (L) 626
Hedin, L., and Johansson, A.: Polarization corrections to core levels 1336
Henry, W. G., with McNaughton, D. J.: Quasi-independent model for atomic structure calculations 1131
Hertel, I. V., and Ross, K. J.: Generalized oscillator strengths in electron impact spectra of potassium and sodium 285
Hertel, I. V., and Ross, K. J.: Generalized oscillator strengths in electron impact spectra of rubidium and caesium 484
Hibbert, A., and Coulson, C. A.: Saddle-point character of Hartree–Fock energies . . 458
Hindmarsh, W. R., and Farr, Judith M.: Pressure-induced satellites in red wings of spectral lines 1388
Hindmarsh, W. R., with McCartan, D. G.: Collision broadening and satellite bands in potassium line 4047 Å perturbed by krypton 1396
Hobby, M. G., with Peacock, N. J., and Speer, R. J.: Spectra of highly ionized neon and argon in plasma focus discharge 798
Holt, A. R.: Application of simplified second Born approximation to scattering of electrons and protons by hydrogen atoms: II 1202
Holt, A. R.: Matrix elements for bound–free transitions in atomic hydrogen . . . 1209
Holt, A. R., and Moiseiwitsch, B. L.: On accuracy of simplified second Born approximation 1253
Horsley, J. A., and Fink, W. H.: Study of electronic structure of ions CO_2^+ and N_2O^+ by LCAO–MO–SCF method 1261
Hughes, M. H., with Dutton, J., and Tan, B. C.: Ionization coefficients in helium, neon and helium–neon mixtures 890
Hurst, R. P., with Kaveeshwar, V. G., and Dalgarno, A.: Frequency-dependent dipole shielding factors 984

Ishihara, T., with Chen, J. C. Y.: Separable expansion for off-shell two-body t matrix with Coulomb potential 12

Jaya Ram, K., with Miyachi, I.: Estimation of quadratic Stark shifts in Cu I (L) . . 425
Johansson, A., with Hedin, L.: Polarization corrections to core levels 1336
Jordan, J. A., Jr., with Bakken, G. S., and Conrad, A. C.: Carbon spectra by beam-foil method 1378
Jordan, J. A., Jr., with Spitzberg, L. A.: ^{4}He charge state fractions in thin carbon foils . . 691
Joshi, S. K., with Tripathi, A. N., and Mathur, K. C.: Electron-impact ionization and excitation cross sections of atoms with two outer-shell electrons 878
Joshi, S. K., with Tripathi, A. N., and Mathur, K. C.: Impact ionization of Na, K, Rb and Cs by electron and proton impacts 155

Kakati, D., with Lainé, D. C.: Observation of superradiative transient from absorptive molecular beam (L) 152
Kaveeshwar, V. G., Dalgarno, A., and Hurst, R. P.: Frequency-dependent dipole shielding factors 984
Kennedy, D. J., with Bell, K. L., and Kingston, A. E.: Accurate first Born approximation cross sections for excitation of helium by fast electrons 26

PAGE

Key, M. H.: Ionization effects in hydrodynamic model of radiation-driven breakdown wave propagation 544
Key, M. H., with Ahmad, N., and Gale, B. C.: Scattering of laser light in radiation-driven breakdown waves in gases 403
Khandelwal, G. S.: 1s→*ns* excitation cross sections of H atoms by fast protons (L) . . 151
Khandelwal, G. S., and Choi, B.-H.: Aymptotic expressions for cross sections for excitation of H atoms in 2s and 2p states by fast protons (L) 308
Khandelwal, G. S., and Fitchard, E. E.: Asymptotic expression for 1s–*ns* excitation cross section of H atoms by fast protons (L) 1118
King, T. A., with Bridgett, K. A.: Excitation and relaxation effects on laser action in helium 902
King, W. H.: Interpretation of isotope shifts in neodymium 268
King, W. H., with Edwin, R. P.: Isotope shift measurements in spectrum of trebly ionized cerium (Ce IV) 260
Kingston, A. E., with Bell, K. L.: Ionization of helium by high energy electrons. . . 1125
Kingston, A. E., with Bell, K. L., and Dose, V.: First Born approximation cross sections for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium 831
Kingston, A. E., with Bell, K. L., and Kennedy, D. J.: Accurate first Born approximation cross sections for excitation of helium by fast electrons 26
Kingston, A. E., with Bell, K. L.: Ionization of helium by high-energy protons . . 653
Kini, K. S., and Savadatti, M. I.: Extension of C_2 ($A\,^3\Pi_g$–$X'\,^3\Pi_u$) band system (L) . . 307
Kiseljov, A. A.: On Jahn–Teller effect in hexafluorides 270
Knox, H. O., and Rudge, M. R. H.: Calculation of line strengths for transitions between doubly excited states and $2\,^3S$ state of helium 521
Korwar, V. M., with Walvekar, A. P.: Vibrational transition probabilities of bands of BaO ($A\,^1\Sigma$–$X\,^1\Sigma$) system 115
Koutsoyannis, S. P., with Tsongas, G. A.: Calculation of repulsive force constants of Lennard-Jones potential for some excited states of noble gases 437
Kyle, H. L., and McDowell, M. R. C.: On peaking approximation in scattering theory . 15

Lainé, D. C., and Kakati, D.: Observation of superradiative transient from absorptive molecular beam (L) 152
Lane, N. F., with Yager, R. E.: Collisional excitation of He^+ ions by carbon atoms . . 1060
Lantschner, G., with Salvatelli, E. R., and Meckbach, W.: Search for possible isotope effect in charge-changing collisions involving hydrogen and deuterium 772
Latimer, C. J., Browning, R., and Gilbody, H. B.: Dissociation and charge transfer in 1·4–46 kev H_2^+–H_2 collisions 1055
Latimer, C. J., with Browning, R., and Gilbody, H. B.: Fragmentation of molecular gases by 5–45 kev He^+ ions 534
Leckenby, R. E., with Foster, P. J., and Robbins, E. J.: Ionization potentials of clustered alkali metal atoms 478
Leung, C. Y., and Paul, D. A. L.: Positron diffusion and annihilation in helium . . . 1278
Levine, R. D.: On the partial summation of the Born series 839
Levy II, H., with Flannery, M. R.: H–H interaction potentials 314
Lewis, E. L., with Ch'en, S. Y., and Stacey, D. N.: Broadening of hyperfine components of Cs I 4555 Å line by argon 274
Linton, C., and Nicholls, R. W.: Band spectra of singlet systems of TiO molecule. . . . 490
Lloyd, M. D., and McDowell, M. R. C.: Application of polarized-orbital approximation to electron impact excitation of atomic hydrogen 1313
Lodge, J. G.: Ionization of excited H atoms by collisions with H, Li or Na . . . 322
Lu, P., and Nigam, B. P.: Energy levels of three-dimensional quartic oscillator . . . 647
Luffman, B. L.: Exchange cross sections for ionization of atomic hydrogen. 162

McCartan, D. G., and Hindmarsh, W. R.: Collision broadening and satellite bands in potassium line 4047 Å perturbed by krypton 1396
McConkey, J. W., and Simpson, F. R.: Electron impact excitation of the $B\,^3\Pi_g$ state of N_2. 923
McConkey, J. W., and Woolsey, J. M.: Excitation of O_2^+ bands by electron impact . . 529

PAGE

McConkey, J. W., with Burns, D. J., and Simpson, F. R.: Absolute cross sections for electron excitation of second positive bands of nitrogen 52
McConnell, J. C., and Moiseiwitsch, B. L.: Charge-transfer cross sections and mobilities for Hg^+ ions in atomic mercury 821
McCracken, G. M., and Freeman, N. J.: Back-scattering of kev hydrogen ions in solids . 661
McDowell, M. R. C., with Bransden, B. H.: Phase-shift analysis of electron–helium scattering: I—Elastic scattering below ^2S resonance 1187
McDowell, M. R. C., with Economides, D. G.: Born cross sections for ionization of He and Li by electron impact 1323
McDowell, M. R. C., with Kyle, H. L.: On peaking approximation in scattering theory . 15
McDowell, M. R. C., with Lloyd, M. D.: Application of polarized-orbital approximation to electron impact excitation of atomic hydrogen 1313
McEachran, R. P., and Cohen, M.: Analytical orbital wave functions for two-electron atom . 1271
McIntosh, A. I., with Gilbody, H. B., Browning, R., and Dunn, K. F.: Formation of He^- ions in charge-changing collisions during passage of fast helium beams through hydrogen 465
McKibbin, C. S., and Stewart, A. L.: Relativistic corrections to eigenvalues of $1sns\ ^{1,3}S$ states of helium sequence 24
McNaughton, D. J., and Henry, W. G.: Quasi-independent model for atomic structure calculations 1131
McNaughton, D. J., and Smith, V. H., Jr.: Relationship of quasi-independent model to Hartree–Fock model 1138
McQuarrie, D. A., with Futrelle, R. P.: Linear programming and calculation of upper and lower bounds of atomic mean excitation energies 640
Majumdar, C. K., and Bhide, M. G.: Paramagnetic quenching of orthopositronium . . 966
Malaviya, V.: Resonance charge transfer in He^{2+}–H(1s) collisions 843
Manna, A., with Singh, Y.: Thermal conductivity and viscosity of moderately dense dipolar gases 294
Marr, G. V., and Austin, J. M.: Absorption cross-section measurements on vacuum ultra-violet spectrum of zinc vapour 107
Marriott, R., with Gianturco, F. A.: Recalculation of vibrational excitation in carbon monoxide 1332
Martin, S. O., with Peart, B., and Dolder, K. T.: Measurements of electron impact ionization cross sections of Mg^{2+} ions and note on classical scaling law 1176
Martins, P. de A. P., Saraph, H. E., and Seaton, M. J.: Electron impact transitions between fine structure levels in ions with configurations $1s^22s^22p^3$ (L) 427
Martins, P. de A. P., and Seaton, M. J.: Quantum defect theory: VIII—Resonance in collision strengths for $O^+\ 2p^3\ ^2D_{3/2}$–$^2D_{5/2}$ 333
Masnou-Seeuws, F., and Salin, A.: Collision problems with identical particles . . 1274
Mathur, K. C., with Tripathi, A. N., and Joshi, S. K.: Electron-impact ionization and excitation cross sections of atoms with two outer-shell electrons 878
Mathur, K. C., with Tripathi, A. N., and Joshi, S. K.: Impact ionization of Na, K, Rb and Cs by electron and proton impacts 155
Meckbach, W., with Salvatelli, E. R., and Lantschner, G.: Search for possible isotope effect in charge-changing collisions involving hydrogen and deuterium 772
Meister, A. G., with Dowling, J., Jr., and Wray, J. H.: Analysis of B-type vibration–rotation band of methane d_2 in region 5880–6136 cm^{-1} 499
Meyer, V., with Dose, V., and Salzmann, M.: Collisional quenching of metastable hydrogen . 1357
Miyachi, I., and Jaya Ram, K.: Estimation of quadratic Stark shifts in Cu I (L) 425
Mohan, H., with Singh, J., and Tewari, D. P.: Thermal emission spectrum of new diatom—AlSe (L) 627
Mohr, C. B. O.: Channel-coupling effects in elastic collisions of electrons 166
Moiseiwitsch, B. L., with Holt, A. R.: On accuracy of simplified second Born approximation 1253
Moiseiwitsch, B. L., with McConnell, J. C.: Charge-transfer cross sections and mobilities for Hg^+ in atomic mercury 821
Morgan, F. J., with Watson, W. S.: Discrete structure in 40–60 Å region of photoionization continua of argon, krypton and xenon 277
Moser, C. M., with Bagus, P. S.: Multi-configuration Hartree–Fock calculations: III—Calculations of ^3P, ^1D and ^1S states arising from $1s^22s^22p^2$ configuration for $Z = 7{\cdot}0$ to $Z = 30{\cdot}0$ 1214
Murray, J., with Boyle, L. L.: Hypervirial theorems for multipole operators 433
Myers, H.: Analysis of electron swarm experiments in oxygen 393

PAGE

Narasimham, N. A., and Singh, M.: Isotope shift studies of visible and ultra-violet bands of AlO 119
Newton, A. A., and Sexton, M. C.: Decay of highly ionized hydrogen and deuterium plasmas 1069
Nicholls, R. W., with Degen, V.: Intensity measurements on A $^3\Sigma_u^+$–X $^3\Sigma_g^-$, Herzberg I band system of O_2 1240
Nicholls, R. W., with Hébert, G. R.: Franck–Condon factors for $\nu' = 0$ progression of N_2 fourth positive band system (L) 626
Nicholls, R. W., with Linton, C.: Band spectra of singlet systems of TiO molecule . . 490
Nigam, A. N., and Garg, K. B.: New diagram lines in L emission spectrum of thulium 69: III—α region 419
Nigam, B. P., with Lu, P.: Energy levels of three-dimensional quartic oscillator . . . 647
Nigavekar, A. S., and Bergwall, S.: X-ray investigation of Kα doublet of chromium and its halides 507
Norcliffe, A., Percival, I. C., and Roberts, M. J.: Correspondence identities: III—Classical paths and Rutherford scattering 578
Norcliffe, A., Percival, I. C., and Roberts, M. J.: Correspondence identities: IV—Rutherford scattering identity 590
Norcross, D. W.: Uniqueness of close-coupling equations for electron scattering . . 1300
Norcross, D. W., and Seaton, M. J.: Asymptotic solutions of coupled equations for electron collisions with positive ions 731
Nussbaumer, H., with Eissner, W.: Programme for calculating atomic structures . . 1028
Nussbaumer, H., with Eissner, W., Saraph, H. E., and Seaton, M. J.: Resonances in cross sections for excitation of forbidden lines in O^{2+} 341

O'Connor, S.: Predissociation in chromium hydride molecule 541
Ong, P. P., and Hasted, J. B.: Drift measurements of ion–molecule reactions . . . 91
Öpik, U.: Interpretation of energies of ^2D states of lithium atom in terms of polarization of core by outer electron (L) 1411

Padalia, B. D.: Magnetic quadrupole transition in x-ray spectra (L) 150
Padalia, B. D.: On magnetic dipole transitions in x-ray spectra (L) 1122
Padalia, B. D.: Screening constants in x-ray spectra 811
Padalia, B. D., and Phadnis, S. G.: Screening constant σ_2 for N doublets in x-ray spectra . 1094
Padalia, B. D., and Rao, S. K.: Classification of forbidden transitions in x-ray spectra . . 134
Papoular, R.: Off-resonance photoexcitation and photoionization of a gas 175
du Parcq, R. P., with Barrow, R. F., and Ricks, J. M.: Rotational analysis of c $^3\Sigma_u^-$–X $^3\Sigma_g^-$ system of $^{32}S_2$ 413
Parodi, C., with Caroli, C.: Frequency spectrum of depolarized light scattered by rigid molecule in solution 1229
Patel, M. M., and Patel, P. D.: Rotational analysis of (0, 0) bands of A $^2\Pi \rightarrow$ X $^2\Sigma^+$ system of MgBr (L) 515
Patel, P. D., with Patel, M. M.: Rotational analysis of (0, 0) bands of A $^2\Pi \rightarrow$ X $^2\Sigma^+$ system of MgBr (L) 515
Paul, D. A. L., with Leung, C. Y.: Positron diffusion and annihilation in helium . . 1278
Peacock, N. J., Speer, R. J., and Hobby, M. G.: Spectra of highly ionized neon and argon in plasma focus discharge 798
Peart, B., and Dolder, K. T.: Ionization of Li^+ to Li^{3+} by electron impact . . . 1169
Peart, B., Martin, S. O., and Dolder, K. T.: Measurements of electron impact ionization cross sections of Mg^{2+} ions and note on classical scaling law 1176
Peart, B., Walton, D. S., and Dolder, K. T.: Ranges of validity of Born and Bethe approximations for single ionization of He^+ and Li^+ ions by electron impact . . . 1347
Peat, F. D.: Model for electron scattering which includes correlation effects (L) . . . 1120
Pegg, D. T.: Change in hyperfine constants of state $5\,^2P_{3/2}$ of ^{39}K induced by an oscillating magnetic field 1104
Pegg, D. T.: Frequency shifts in double resonance experiments caused by oscillating magnetic fields of intermediate strength 1097
Percival, I. C., with Norcliffe, A., and Roberts, M. J.: Correspondence identities: III—Classical paths and Rutherford scattering 578
Percival, I. C., with Norcliffe, A., and Roberts, M. J.: Correspondence identities: IV—Rutherford scattering identity 590

PAGE

Phadnis, S. G., with Padalia, B. D.: Screening constant σ_2 for N doublets in x-ray spectra . 1094
Prasad, K., and Prasad, S. S.: Electronic transition moment variation in CN violet band system (L) 725
Prasad, S. S., with Prasad, K.: Electronic transition moment variation in CN violet band system (L) 725

Rai, D. K., with Chaudhry, A. K., and Upadhya, K. N.: Rotational structure of 2250 Å system of BiF molecule (L) 628
Rai, S., with Deodhar, G. B.: Spin doublets in x-ray satellite spectra 1402
Rao, S. K., with Padalia, B. D.: Classification of forbidden transitions in x-ray spectra . 133
Rees, J. A., with Fleming, I. A.: Drift velocity measurements for positive oxygen ions in oxygen (L) 423
Rees, J. A., with Fleming, I. A.: Drift velocities of ions in sulphur hexafluoride . . . 777
Rees, J. A., with Fleming, I. A., and Tunnicliffe, R. J.: Concerning determinations of drift velocity and lateral diffusion of positive ions in hydrogen 780
Reid, R. H. G., with Bates, D. R.: Resonance charge transfer between protons and excited hydrogen atoms: I—Quantal two-state approximation 851
Reid, R. H. G., with Bates, D. R.: Resonance charge transfer between protons and excited hydrogen atoms: II—Classical approximation 857
Ricks, J. M., and Barrow, R. F.: D $^3\Pi$ state of S_2 (L) 906
Ricks, J. M., with Barrow, R. F., and du Parcq, R. P.: Rotational analysis of c $^3\Sigma_u$–x $^3\Sigma_g$ system of $^{32}S_2$ 413
Robbins, E. J., with Foster, P. J., and Leckenby, R. E.: Ionization potentials of clustered alkali metal atoms 478
Roberts, M. J., with Norcliffe, A., and Percival, I. C.: Correspondence identities: III—Classical paths and Rutherford scattering 578
Roberts, M. J., with Norcliffe, A., and Percival, I. C.: Correspondence identities: IV—Rutherford scattering identity 590
Robinson, J. M., and Gilbody, H. B.: Excitation in 100–400 kev Ar^+–Ar collisions (L) . 817
Roche, A. E., and Goodyear, C. C.: Electron detachment from negative oxygen ions at beam energies in range 3 to 100 ev. 191
Rosén, A.: Analysis of hyperfine structure of ground-state multiplet of samarium atom . 1257
Ross, K. J., with Hertel, I. V.: Generalized oscillator strengths in electron impact spectra of potassium and sodium. 285
Ross, K. J., with Hertel, I. V.: Generalized oscillator strengths in electron impact spectra of rubidium and caesium 484
Rudge, M. R. H., with Knox, H. O.: Calculation of line strengths for transitions between doubly excited states and 2 ^3S state of helium 521
Rundel, R. D., Aitken, K. L., and Harrison, M. F. A.: Measurement of cross section for charge exchange in H^+–H^- collisions 954

Saksena, M. P., and Sharma, M. L.: Thermal relaxation and heat transfer in non-polar polyatomic gases 303
Saksena, M. P., and Sharma, M. L.: Thermal relaxation and heat transfer in non-polar gas mixtures 898
Salin, A.: Ionization of atomic hydrogen by proton impact 631
Salin, A.: Ionization of complex ions by ion impact (L) 1255
Salin, A., with Masnou-Seeuws, F.: Collision problems with identical particles . . . 1274
Salvatelli, E. R., Lantschner, G., and Meckbach, W.: Search for possible isotope effect in charge-changing collisions involving hydrogen and deuterium 772
Salzmann, M., with Dose, V., and Meyer, V.: Collisional quenching of metastable hydrogen 1357
Sampanthar, S., with Boardman, A. D.: Elastic electron scattering by screened polar gas molecules (L) 145
Sanders, J. H., with Deech, J. S., and Cole, J. B.: Isotope shifts in 7229 Å transition in lead measured under superradiant conditions (L) 147
Saraph, H. E., with Eissner, W., Nussbaumer, H., and Seaton, M. J.: Resonances in cross sections for excitation of forbidden lines in O^{2+} 341
Saraph, H. E., with Martins, P. de A. P., and Seaton, M. J.: Electron impact transitions between fine structure levels in ions with configurations $1s^22s^22p^3$ (L) . . . 427
Savadatti, M. I., with Kini, K. S.: Extension of C_2 ($A\,^3\Pi_g$–$X'\,^3\Pi_u$) band system (L) . . 307

PAGE

Schaad, L. J., with Ali, M. A.: Hartree–Fock *gf* values for some transitions of Be sequence . 1018
Schaad, L. J., with Ali, M. A.: Hartree–Fock multiplet strengths of $1s^24l\ ^2L$–$1s^24l'\ ^2L'$ transitions of Jithium isoelectronic sequence 1304
Schneider, W. J.: Atomic susceptibilities from statistical electron models with kinetic, exchange and correlating corrections 995
Schwartz, S. B., with Bely, O.: Electron detachment from H^- by electron impact . . 159
Scrutton, D., with Burke, P. G., Tait, J. H., and Taylor, A. Joanna: Thermal-energy atom–molecule collisions 1155
Seaton, M. J.: Quantum defect theory: VII—Analysis of resonance structures 5
Seaton, M. J., with Davies, P. C. W.: Radiation damping in optical continuum . . . 757
Seaton, M. J., with Eissner, W., Nussbaumer, H., and Saraph, H. E.: Resonances in cross sections for excitation of forbidden lines in O^{2+} 341
Seaton, M. J., with Martins, P. de A. P.: Quantum defect theory: VIII—Resonance in collision strengths for $O^+\ 2p^3\ ^2D_{3/2}$–$^2D_{5/2}$ 333
Seaton, M. J., with Martins, P. de A. P., and Saraph, H. E.: Electron impact transitions between fine structure levels in ions with configurations $1s^22s^22p^3$ (L) . . . 427
Seaton, M. J., with Norcross, D.: Asymptotic solutions of coupled equations for electron collisions with positive ions 731
Sexton, M. C., with Newton, A. A.: Decay of highly ionized hydrogen and deuterium plasmas 1069
Sharma, C. S.: Extended Hartree–Fock equations for atoms 1010
Sharma, M. L., with Saksena, M. P.: Thermal relaxation and heat transfer in non-polar gas mixtures 898
Sharma, M. L., with Saksena, M. P.: Thermal relaxation and heat transfer in non-polar polyatomic gases 303
Sheorey, V. B.: Phase shifts for elastic scattering by neutral atoms using isoelectronic sequence extrapolation techniques 442
Shukla, S. N., with Gokhale, B. G.: Study of weak lines in L emission spectrum of samarium 62 282
Simpson, F. R., with Burns, D. J., and McConkey, J. W.: Absolute cross sections for electron excitation of second positive bands of nitrogen 52
Simpson, F. R., with McConkey, J. W.: Electron impact excitation of the B $^3\Pi_g$ state of N_2 . 923
Singh, J., Tewari, D. P., and Mohan, H.: Thermal emission spectrum of new diatom—AlSe(L) 627
Singh, M., and Narasimham, N. A.: Isotope shift studies of visible and ultra-violet bands of AlO 119
Singh, S. R., with Conkie, W. R.: Iterative method for solving intermediate energy scattering problems 1293
Singh, Y., and Manna, A.: Thermal conductivity and viscosity of moderately dense dipolar gases 294
Skullerud, H. R.: Diffusion of gaseous ions in strong electric fields under influence of charge-transfer collisions 86
Skullerud, H. R.: Longitudinal diffusion of electrons in electrostatic fields in gases . . 696
Smith, A. G., and Carter, G.: Computer calculations of binary collision scattering angles using Born–Mayer potential for interacting argon and gold atoms 972
Smith, V. H., Jr., with McNaughton, D. J.: Relationship of quasi-independent model to Hartree–Fock model 1138
Smith, W. L.: Overlap integral of two harmonic-oscillator wave functions . . . 1, corr. 908
Speer, R. J., with Peacock, N. J., and Hobby, M. G.: Spectra of highly ionized neon and argon in plasma focus discharge 798
Spitzberg, L. A., and Jordan, J. A., Jr.: ^{4}He charge state fractions in thin carbon foils . . 691
Stacey, D. N., with Ch'en, S. Y., and Lewis, E. L.: Broadening of hyperfine components of Cs I 4555 Å line by argon 274
Stewart, A. L.: Dipole polarizabilities of 2 ^{1,3}S states in helium isoelectronic sequence . . 1309
Stewart, A. L., with McKibbin, C. S.: Relativistic corrections to eigenvalues of $1snrs$ ^{1,3}S states of helium sequence 24
Stewart, E. T., with Clark, R. G.: Three-parameter wave function for hydrogen molecular ion 311

Tan, B. C., with Dutton, J., and Hughes, M. H.: Ionization coefficients in helium, neon and helium–neon mixtures 890
Tait, J. H., with Burke, P. G., Scrutton D., and Taylor, A. Joanna: Thermal-energy atom–molecule collisions 1155
Taylor, A. Joanna, with Burke, P. G.: Excitation of He^+ by electron impact. 44

PAGE

Taylor, A. Joanna, with Burke, P. G.: Scattering of electrons by lithium atoms . . . 869
Taylor, A. Joanna, with Burke, P. G., Scrutton, D., and Tait, J. H.: Thermal-energy atom–molecule collisions 1155
Tewari, D. P., with Singh, J., and Mohan, H.: Thermal emission spectrum of new diatom—AlSe (L) 627
Thomas, E. W.: Excitation induced by 0·15–1·0 Mev protons in argon (L) 625
Thomas, R. W. L., and Thomas, W. R. L.: Monte Carlo simulation of electrical discharges in gases 562
Thomas, W. R. L.: Determination of total excitation cross section in neon by comparison of theoretical and experimental values of Townsend's primary ionization coefficient 551
Thomas, W. R. L., with Thomas, R. W. L.: Monte Carlo simulation of electrical discharges in gases 562
Tondello, G.: Grazing incidence spectra of Si XI and Si XII ions (L) 727
Tripathi, A. N., Mathur, K. C., and Joshi, S. K.: Electron-impact ionization and excitation cross sections of atoms with two outer-shell electrons 878
Tripathi, A. N., Mathur, K. C., and Joshi, S. K.: Impact ionization of Na, K, Rb and Cs by electron and proton impacts 155
Tsongas, G. A., and Koutsoyannis, S. P.: Calculation of repulsive force constants of Lennard-Jones potential for some excited states of noble gases 437
Tunnicliffe, R. J., with Fleming, I. A., and Rees, J. A.: Concerning determinations of drift velocity and lateral diffusion of positive ions in hydrogen 780
Twiddy, N. D., with Ellis, E.: Time-resolved optical absorption measurements of excited-atom concentrations in argon afterglow 1366

Unsworth, P. J.: Nuclear dipole, quadrupole and octupole moments of ^{158}Gd by atomic beam magnetic resonance 122
Upadhaya, K. N., with Chaudhry, A. K., and Rai, D. K.: Rotational structure of 2250 Å system of BiF molecule (L) 628

Varma, P. P., with Deodhar, G. B.: New forbidden lines in L emission spectrum of ^{64}Gd . 410
Vriens, L., with Banks, D., and Bonsen, T. F. M.: Initial-state m quantization in binary-encounter theory 976

Walker, D. W.: Relativistic and exchange effects in electron scattering from mercury . . 356
Walker, T. E. H., and Barrow, R. F.: A $^3\Pi$–X $^3\Sigma^+$ system of BeF 102
Walton, D. S., with Peart, B., and Dolder, K. T.: Ranges of validity of Born and Bethe approximations for single ionization of He^+ and Li^+ ions by electron impact . 1347
Walvekar, A. P., and Korwar, V. M.: Vibrational transition probabilities of bands of BaO (A $^1\Sigma$–X $^1\Sigma$) system 115
Watson, W. S., and Morgan, F. J.: Discrete structure in 40–60 Å region of photoionization continua of argon, krypton and xenon 277
Weinhold, F.: Upper and lower bounds to van der Waals interactions between atoms . . 517
Wilson, M.: Configurations 3d^{9}4s5s and 3d^{9}4s4p of Cu I 524
Wilson, M.: Distortion of G^2(3d4s) integral in Ca I (L) 514
Woolsey, J. M., with McConkey, J. W.: Excitation of $\mathcal{O}_2^+$ bands by electron impact . . 529
Wray, J. H., with Dowling, J., Jr, and Meister, A. G.: Analysis of B-type vibration–rotation band of methane d_2 in region 5880–6136 cm^{-1} 499
Wykes, J. S., with Farago, P. S.: Optical detection of electron polarization 747

Ya'akobi, B., and Avivi, P.: Diagnostic method for plasma in local thermodynamic equilibrium 706
Yager, R. E., and Lane, N. F.: Collisional excitation of He^+ ions by carbon atoms . . 1060
Young, N. A., with Bates, D. R., and Dose, V.: Classical treatment of electron loss . . . 930

BOOK REVIEW INDEX

	PAGE
Cyvin, S. J.: *Molecular vibrations and mean square amplitudes*	422
Elliott, A.: *Infra-red spectra and structure of long-chain polymers*	1252
Hepple, P. (Ed.): *Molecular Spectroscopy (Proceedings of a conference held at Brighton, 17–19 April* 1968)	1251
Löwdin, P.-O. (Ed.): *Proceedings of the International Symposium on Atomic, Molecular and Solid-state Theory (International Journal of Quantum Chemistry Symposium,* No. 1., 1967)	144
Spitzer, L., Jr.: *Diffuse matter in space*	1251
Wheatley, P. J.: *The determination of molecular structure,* 2nd edition	144

Volume 2
1969
Pages 1-1437

Journal of Physics B

Atomic and Molecular Physics

Published by
The Institute of Physics and The Physical Society
1 Lowther Gardens, Prince Consort Road, London, S.W.7

JOURNAL OF PHYSICS B

Atomic and Molecular Physics

Editorial Board 1969

Up to September 1969

Professor S. F. Edwards, M.A., Ph.D., F.I.M.A., F.Inst.P., F.R.S. (Honorary Editor and Chairman)

P. F. Chester, Ph.D.

Professor B. R. Coles, D.Phil.

M. F. A. Harrison, B.Sc.

T. W. B. Kibble, M.A., Ph.D.

A. B. Lidiard, M.Sc., Ph.D., F.Inst.P.

Professor N. H. March, Ph.D.

Professor M. J. Seaton, Ph.D., F.R.S.

Professor K. F. Smith, M.A., Ph.D.

G. R. Wilkinson, Ph.D.

From October 1969

Professor M. J. Seaton, Ph.D., F.R.S. (Honorary Editor and Chairman)

Professor P. G. Burke, Ph.D.

Professor A. G. Gaydon, D.Sc., F.R.S., F.Inst.P.

M. F. A. Harrison, B.Sc.

F. Mandl, D.Phil., F.Inst.P.

Professor G. W. Series, M.A., D.Phil.

Professor K. F. Smith, M.A., Ph.D.

G. R. Wilkinson, Ph.D.

Assistant Editor

Mrs. M. A. Wright, B.Sc.

CONTENTS

No. 1 *January* 1969

PAPERS PAGE

The overlap integral of two harmonic-oscillator wave functions W. L. SMITH 1
Quantum defect theory: VII—Analysis of resonance structures M. J. SEATON 5
Separable expansion for off-shell two-body t matrix with Coulomb potential . . . . . J. C. Y. CHEN and T. ISHIHARA 12
On a peaking approximation in scattering theory . . . . . H. L. KYLE and M. R. C. MCDOWELL 15
Polarization of Lyman α radiation in hydrogen–rare-gas collisions . V. DOSE 19
The relativistic corrections to the eigenvalues of the $1sns$ $^{1,3}S$ states of the helium sequence . . . . . C. S. MCKIBBIN and A. L. STEWART 24
Accurate first Born approximation cross sections for the excitation of helium by fast electrons . K. L. BELL, D. J. KENNEDY and A. E. KINGSTON 26
The excitation of He^+ by electron impact . . . . . P. G. BURKE and A. JOANNA TAYLOR 44
Absolute cross sections for electron excitation of the second positive bands of nitrogen . . D. J. BURNS, F. R. SIMPSON and J. W. MCCONKEY 52
Application of the Coulomb approximation to molecular transitions . . . . . D. R. BATES and W. H. FINK 65
Scattering of thermal electrons by polar molecules. . . . . L. G. CHRISTOPHOROU and A. A. CHRISTODOULIDES 71
Diffusion of gaseous ions in strong electric fields under the influence of charge-transfer collisions. . . . . H. R. SKULLERUD 86
Drift measurements of ion–molecule reactions P. P. ONG and J. B. HASTED 91
The $A\,^2\Pi$–$X\,^2\Sigma^+$ system of BeF . . T. E. H. WALKER and R. F. BARROW 102
Absorption cross-section measurements on the vacuum ultra-violet spectrum of zinc vapour. . . . . G. V. MARR and J. M. AUSTIN 107
Vibrational transition probabilities of the bands of BaO($A\,^1\Sigma$–$X\,^1\Sigma$) system . . . . . A. P. WALVEKAR and V. M. KORWAR 115
Isotope shift studies of the visible and ultra-violet bands of AlO . . . . . M. SINGH and N. A. NARASIMHAM 119
Nuclear dipole, quadrupole and octupole moments of ^{155}Gd by atomic beam magnetic resonance . . . . . P. J. UNSWORTH 122
Classification of forbidden transitions in x-ray spectra . . . . . B. D. PADALIA and S. K. RAO 134
A method for the determination of atomic screening parameters L. BRANDUS 137

BOOK REVIEWS 144

LETTERS TO THE EDITOR

Threshold law for electron impact excitation of ns–$n's$ transitions in atoms . . . . . R. J. DAMBURG 145
Elastic electron scattering by screened polar gas molecules . . . . . A. D. BOARDMAN and S. SAMPANTHAR 145
Isotope shifts in the 7229 Å transition in lead measured under superradiant conditions . . . . J. S. DEECH, J. B. COLE and J. H. SANDERS 147
Magnetic quadrupole transitions in x-ray spectra . . . B. D. PADALIA 150
$1s \rightarrow ns$ excitation cross sections of H atoms by fast protons G. S. KHANDELWAL 151
Observation of a superradiative transient from an absorptive molecular beam . . . . . D. C. LAINÉ and D. KAKATI 152

PAPERS

PAGE

Impact ionization of Na, K, Rb and Cs by electron and proton impacts . . . . . A. N. Tripathi, K. C. Mathur and S. K. Joshi 155
Electron detachment from H^- by electron impact . . . . . O. Bely and S. B. Schwartz 159
Exchange cross sections for the ionization of atomic hydrogen B. L. Luffman 162
Channel-coupling effects in elastic collisions of electrons with atoms . . . . . C. B. O. Mohr 166
Off-resonance photoexcitation and photoionization of a gas . . R. Papoular 175
Three-body ionic recombination at moderate and high gas densities. . . . . D. R. Bates and M. R. Flannery 184
Electron detachment from negative oxygen ions at beam energies in the range 3 to 100 ev . . . . . A. E. Roche and C. C. Goodyear 191
Total secondary ionization coefficients and breakdown potentials of monatomic gases between mild steel coaxial cylinders . . . . R. Hackam 201
Total secondary ionization coefficients and breakdown potentials of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders . . . . . R. Hackam 216
Investigations of the afterglows of pulsed rare gas discharges in the frequency range 200–1500 MHz . . . . . T. L. Dutt 234
Repetitive *Q*-modulated HCN gas maser . . . . . P. G. Frayne 247
Isotope shift measurements in the spectrum of trebly ionized cerium (Ce IV) . . . . . R. P. Edwin and W. H. King 260
An interpretation of isotope shifts in neodymium . . . . W. H. King 268
On the Jahn–Teller effect in hexafluorides . . . . . A. A. Kiseljov 270
Broadening of the hyperfine components of Cs I 4555 Å line by argon . . . . . S. Y. Ch'en, E. L. Lewis and D. N. Stacey 274
Discrete structure in the 40–60 Å region of the photoionization continua of argon, krypton and xenon . . . . W. S. Watson and F. J. Morgan 277
Study of the weak lines in the L emission spectrum of samarium 62 . . . . . B. G. Gokhale and S. N. Shukla 282
Generalized oscillator strengths in the electron impact spectra of potassium and sodium . . . . . I. V. Hertel and K. J. Ross 285
Thermal conductivity and viscosity of moderately dense dipolar gases . . . . . Y. Singh and A. Manna 294
Thermal relaxation and heat transfer in non-polar polyatomic gases . . . . . M. P. Saksena and M. L. Sharma 303

LETTERS TO THE EDITOR

Extension of the C_2 ($A\,^3\Pi_g$–$X'\,^3\Pi_u$) band system . . . . . K. S. Kini and M. I. Savadatti 307
Asymptotic expressions for cross sections for the excitation of H atoms in 2s and 2p states by fast protons . . . G. S. Khandelwal and B.-H. Choi 308

PAPERS

A three-parameter wave function for the hydrogen molecule ion . . . . . R. G. Clark and E. Theal Stewart 311
H–H interaction potentials . . M. R. Flannery and H. Levy II 314
Ionization of excited H atoms by collisions with H, Li or Na . J. G. Lodge 322
Quantum defect theory: VIII—Resonances in the collision strengths for $O^+\ 2p^3\ ^2D_{3/2}$–$^2D_{5/2}$ . . P. de A. P. Martins and M. J. Seaton 333
Resonances in cross sections for excitation of forbidden lines in O^{2+} . . . W. Eissner, H. Nussbaumer, H. E. Saraph and M. J. Seaton 341

No. 3 (*cont.*) *March* 1969

PAPERS PAGE

Relativistic and exchange effects in electron scattering from mercury . . . . . D. W. Walker 356

Resonance scattering of electrons by diatomic molecules. . . . . J. B. Hasted and A. M. Awan 367

Uniform approximations for glory scattering and diffraction peaks. M. V. Berry 381

Analysis of electron swarm experiments in oxygen . . . . H. Myers 393

Scattering of laser light in radiation-driven breakdown waves in gases . . . . . N. Ahmad, B. C. Gale and M. H. Key 403

New forbidden lines in the L emission spectrum of ^{64}Gd . . . . . G. B. Deodhar and P. P. Varma 410

Rotational analysis of the c $^3\Sigma_u^-$–X $^3\Sigma_g^-$ system of $^{32}S_2$ . . . . . R. F. Barrow, R. P. du Parcq and J. M. Ricks 413

New diagram lines in the L emission spectrum of thulium 69: III—α region . . . . . A. N. Nigam and K. B. Garg 419

BOOK REVIEWS 422

LETTERS TO THE EDITOR

Drift velocity measurements for positive oxygen ions in oxygen . . . . . I. A. Fleming and J. A. Rees 423

Estimation of the quadratic Stark shifts in Cu I. I. Miyachi and K. Jaya Ram 425

Electron impact transitions between fine structure levels in ions with configurations $1s^22s^22p^3$ P. de A. P. Martins, H. E. Saraph and M. J. Seaton 427

No. 4 *April* 1969

PAPERS

Hypervirial theorems for multipole moment operators . . . . . L. L. Boyle and J. Murray 433

A calculation of repulsive force constants of the Lennard-Jones potential for some excited states of noble gases . G. A. Tsongas and S. P. Koutsoyannis 437

Phase shifts for elastic scattering by neutral atoms using isoelectronic sequence extrapolation techniques . . . . . V. B. Sheorey 442

Saddle-point character of Hartree–Fock energies . . . . . A. Hibbert and C. A. Coulson 458

Formation of He^- ions in charge-changing collisions during passage of fast helium beams through hydrogen . . . . . H. B. Gilbody, R. Browning, K. F. Dunn and A. I. McIntosh 465

Two-stage processes in the mercury positive column . . . . . J. R. Forrest and R. N. Franklin 471

The ionization potentials of clustered alkali metal atoms. . . . . P. J. Foster, R. E. Leckenby and E. J. Robbins 478

Generalized oscillator strengths in the electron impact spectra of rubidium and caesium . . . . . I. V. Hertel and K. J. Ross 484

Band spectra of the singlet systems of the TiO molecule . . . . . C. Linton and R. W. Nicholls 490

The analysis of the B-type vibration–rotation band of methane d_2 in the region 5880–6136 cm^{-1} . J. Dowling, Jr., J. H. Wray and A. G. Meister 499

X-ray investigation of the Kα doublet of chromium and its halides . . . . . A. S. Nigavekar and S. Bergwall 507

LETTERS TO THE EDITOR

Distortion of the G^2 (3d4s) integral in Ca I . . . . . M. Wilson 514

No. 4 (*cont.*) *April* 1969

LETTERS TO THE EDITOR PAGE

Rotational analysis of the (0, 0) bands of the A $^2\Pi$–X $^2\Sigma^+$ system of MgBr . . . . . M. M. PATEL and P. D. PATEL 515

No. 5 *May* 1969

PAPERS

Upper and lower bounds to the van der Waals interactions between atoms . . . . . F. WEINHOLD 517

Calculations of line strengths for transitions between doubly excited states and the $2\,^3S$ state of helium . . . . H. O. KNOX and M. R. H. RUDGE 521

The configurations $3d^9 4s5s$ and $3d^9 4s4p$ of Cu I . . . . M. WILSON 524

Excitation of O_2^+ bands by electron impact . . . . . J. W. MCCONKEY and J. M. WOOLSEY 529

Fragmentation of molecular gases by 5–45 kev He^+ ions . . . . . R. BROWNING, C. J. LATIMER and H. B. GILBODY 534

A predissociation in the chromium hydride molecule . . S. O'CONNOR 541

Ionization effects in a hydrodynamic model of radiation-driven breakdown wave propagation . . . . . M. H. KEY 544

The determination of the total excitation cross section in neon by comparison of theoretical and experimental values of Townsend's primary ionization coefficient . . . . . W. R. L. THOMAS 551

Monte Carlo simulation of electrical discharges in gases . . . . . R. W. L. THOMAS and W. R. L. THOMAS 562

Alpha-particle induced luminescence in argon in an electric field . . . . . J. R. BENNETT and A. J. L. COLLINSON 571

Correspondence identities: III—Classical paths and Rutherford scattering . . . . . A. NORCLIFFE, I. C. PERCIVAL and M. J. ROBERTS 578

Correspondence identities: IV—The Rutherford scattering identity . . . . . A. NORCLIFFE, I. C. PERCIVAL and M. J. ROBERTS 590

Total collision cross sections and van der Waals constants for alkali atom interactions with atoms and non-reactive diatomic molecules at thermal energies . . . . . D. J. CROUCHER and J. L. CLARK 603

BOOK REVIEWS 624

LETTERS TO THE EDITOR

Excitation induced by 0·15–1·0 MeV protons in argon . . E. W. THOMAS 625

Franck–Condon factors for the $v' = 0$ progression of the N_2 fourth positive band system . . . . . G. R. HÉBERT and R. W. NICHOLLS 626

Thermal emission spectrum of a new diatom—AlSe . . . . . J. SINGH, D. P. TEWARI and H. MOHAN 627

Rotational structure of the 2250 Å system of the BiF molecule . . . . . A. K. CHAUDHRY, K. N. UPADHYA and D. K. RAI 628

No. 6 *June* 1969

PAPERS

Ionization of atomic hydrogen by proton impact . . . . . A. SALIN 631

Linear programming and the calculation of upper and lower bounds of atomic mean excitation energies . R. P. FUTRELLE and D. A. MCQUARRIE 640

Energy levels of the three-dimensional quartic oscillator . . . . . P. LU and B. P. NIGAM 647

No. 6 (*cont.*) *June* 1969

PAPERS PAGE

The ionization of helium by high-energy protons K. L. Bell and A. E. Kingston 653
Back-scattering of kev hydrogen ions in solids . . . . . G. M. McCracken and N. J. Freeman 661
Analysis of the Townsend–Huxley diffusion experiment: I—Constant collisional frequency . . . . . J. L. A. Francey 669
Analysis of the Townsend–Huxley diffusion experiment: II—Constant collision cross section . . . . . J. L. A. Francey 680
^{4}He charge state fractions in thin carbon foils . . . . . L. A. Spitzberg and J. A. Jordan, Jr. 691
Longitudinal diffusion of electrons in electrostatic fields in gases . . . . . H. R. Skullerud 696
A diagnostic method for a plasma in local thermodynamic equilibrium . . . . . B. Ya'akobi and P. Avivi 706
Composition dependence of the thermal diffusion factor for the system CO–CH_3Cl and CO_2–CH_3Cl . S. K. Deb, A. K. Ghosh and A. K. Barua 715
The quenching of alkali fluorescence by rare gases . M. G. Edwards 719

BOOK REVIEWS 723

LETTERS TO THE EDITOR
Electronic transition moment variation in CN violet band system . . . . . K. Prasad and S. S. Prasad 725
Grazing incidence spectra of Si XI and Si XII ions . . . G. Tondello 727

CORRIGENDUM
The quenching of orthopositronium by helium . . . . . M. I. Barker and B. H. Bransden 730

No. 7 *July* 1969

PAPERS
Asymptotic solutions of the coupled equations for electron collisions with positive ions . . . . . D. Norcross and M. J. Seaton 731
Resonant differential scattering of electrons by helium . . . . . J. R. Gibson and K. T. Dolder 741
Optical detection of electron polarization . P. S. Farago and J. S. Wykes 747
Radiation damping in the optical continuum . . . . . P. C. W. Davies and M. J. Seaton 757
Variational calculations of resonance widths in e–H scattering C. Bottcher 766
Search for a possible isotope effect in charge-changing collisions involving hydrogen and deuterium . . . . . E. R. Salvatelli, G. Lantschner and W. Meckbach 772
The drift velocities of ions in sulphur hexafluoride . . . . . I. A. Fleming and J. A. Rees 777
Concerning determinations of the drift velocity and lateral diffusion of positive ions in hydrogen . I. A. Fleming, R. J. Tunnicliffe and J. A. Rees 780
Mobility and diffusion cross section of atomic xenon ion in xenon R. Hackam 790
Spectra of highly ionized neon and argon in a plasma focus discharge . . . . . N. J. Peacock, R. J. Speer and M. G. Hobby 798
Screening constants in x-ray spectra . . . . . B. D. Padalia 811

LETTERS TO THE EDITOR
Symmetric charge transfer involving $^2P_{3/2}$ and $^2P_{1/2}$ Kr^+ and Xe^+ ions . . . . . G. R. Davies and H. B. Gilbody 814
Excitation in 100–400 kev Ar^+–Ar collisions . . . . . J. M. Robinson and H. B. Gilbody 817

No. 8 *August* 1969

PAPERS PAGE

Charge-transfer cross sections and mobilities for Hg^+ ions in atomic mercury . . . . . J. C. McConnell and B. L. Moiseiwitsch 821

First Born approximation cross sections for electron loss from fast hydrogen atoms passing through atomic helium and fast helium atoms passing through atomic hydrogen and helium . . K. L. Bell, V. Dose and A. E. Kingston 831

On the partial summation of the Born series . . . R. D. Levine 839

Resonance charge transfer in He^{2+}–H(1s) collisions . . V. Malaviya 843

Resonance charge transfer between protons and excited hydrogen atoms: I—Quantal two-state approximation . . D. R. Bates and R. H. G. Reid 851

Resonance charge transfer between protons and excited hydrogen atoms: II—Classical approximations . . . D. R. Bates and R. H. G. Reid 857

The scattering of electrons by lithium atoms . . . . . P. G. Burke and A. Joanna Taylor 869

Electron-impact ionization and excitation cross sections of atoms with two outer-shell electrons . A. N. Tripathi, K. C. Mathur and S. K. Joshi 878

Detachment in collisions of H and H^- . J. C. Browne and A. Dalgarno 885

Ionization coefficients in helium, neon and helium–neon mixtures . . . . . J. Dutton, M. H. Hughes and B. C. Tan 890

Thermal relaxation and heat transfer in non-polar gas mixtures . . . . . M. P. Saksena and M. L. Sharma 898

Excitation and relaxation effects on laser action in helium . . . . . K. A. Bridgett and T. A. King 902

LETTERS TO THE EDITOR

The D $^3\Pi$ state of S_2 . . . . J. M. Ricks and R. F. Barrow 906

CORRIGENDUM

The overlap integral of two harmonic-oscillator wave functions W. L. Smith 908

No. 9 *September* 1969

PAPERS

Approximations to the two-state impact-parameter treatment of heavy-particle collisions . . . . . M. R. Flannery 909

Multi-state impact-parameter treatment of hydrogen–helium excitation collisions . . . . . M. R. Flannery 913

Electron impact excitation of the B $^3\Pi_g$ state of N_2 . . . . . J. W. McConkey and F. R. Simpson 923

Classical treatment of electron loss D. R. Bates, V. Dose and N. A. Young 930

Inelastic collisions of slow atoms . D. C. S. Allison and P. G. Burke 941

A measurement of the cross section for charge exchange in H^+–H^- collisions . . . . . R. D. Rundel, K. L. Aitken and M. F. A. Harrison 954

Paramagnetic quenching of orthopositronium . . . . . M. G. Bhide and C. K. Majumdar 966

Computer calculations of binary collision scattering angles using the Born–Mayer potential for interacting argon and gold atoms A. G. Smith and G. Carter 972

Initial-state *m* quantization in binary-encounter theory . . . . . D. Banks, L. Vriens and T. F. M. Bonsen 976

Frequency-dependent dipole shielding factors . . . . . V. G. Kaveeshwar, A. Dalgarno and R. P. Hurst 984

No. 10 *October* 1969

PAPERS PAGE

Atomic susceptibilities from statistical electron models with kinetic, exchange and correlation corrections . . . . . W. J. SCHNEIDER 995
Gaussian perturbations to harmonic oscillators . . . . . S. BELL 1001
The extended Hartree–Fock equations for atoms . . . . C. S. SHARMA 1010
Hartree–Fock *gf* values for some transitions of the Be sequence . . . . . M. A. ALI and L. J. SCHAAD 1018
A programme for calculating atomic structures . . . . . W. EISSNER and H. NUSSBAUMER 1028
The 2s and 2p excitations of hydrogen by proton and helium-ion impact . . . . . M. R. FLANNERY 1044
Dissociation and charge transfer in 1·4–46 kev H_2^+–H_2 collisions . . . . . C. J. LATIMER, R. BROWNING and H. B. GILBODY 1055
Collisional excitation of He^+ ions by carbon atoms . . . . . R. E. YAGER and N. F. LANE 1060
The decay of highly ionized hydrogen and deuterium plasmas . . . . . A. A. NEWTON and M. C. SEXTON 1069
Autoionizing levels in Be III . . . . . S. GOLDSMITH 1075
Emission band spectrum of GeCl in the visible region . . . . . K. BABU RAO and P. B. V. HARANATH 1080
Effect of resonance energy transfer on donor fluorescence decay: a study by the phase and modulation technique . . . . . S. GEORGHIOU 1084
Measurement of the shift-to-width ratio of Ar II 4806 Å S. S. CHOWDHURY 1090
Screening constant σ_2 for N doublets in X-ray spectra . . . . . B. D. PADALIA and S. G. PHADNIS 1094
Frequency shifts in double-resonance experiments caused by oscillating magnetic fields of intermediate strength . . . . . D. T. PEGG 1097
Change in the effective hyperfine constants of the state $5\,^2P_{3/2}$ of ^{39}K induced by an oscillating magnetic field . . . . . D. T. PEGG 1104
Long-range interactions and the hyperfine pressure shift: hydrogen in an inert gas . . . . . W. D. DAVISON 1110

LETTERS TO THE EDITOR

Asymptotic expression for 1s–*ns* excitation cross section of H atoms by fast protons . . . . . G. S. KHANDELWAL and E. E. FITCHARD 1118
A model for electron scattering which includes correlation effects F. D. PEAT 1120
On the magnetic dipole transitions in X-ray spectra . . B. D. PADALIA 1122

No. 11 *November* 1969

PAPERS

The ionization of helium by high energy electrons. . . . . K. L. BELL and A. E. KINGSTON 1125
A quasi-independent model for atomic structure calculations . . . . . D. J. MCNAUGHTON and W. G. HENRY 1131
The relationship of the quasi-independent model to the Hartree–Fock model . . . . . D. J. MCNAUGHTON and V. H. SMITH, JR. 1138
Electron scattering by atomic hydrogen using a pseudo-state expansion: I—Elastic scattering . . P. G. BURKE, D. F. GALLAHER and S. GELTMAN 1142
Thermal-energy atom–molecule collisions . . . . . P. G. BURKE, D. SCRUTTON, J. H. TAIT and A. JOANNA TAYLOR 1155
The ionization of Li^+ to Li^{3+} by electron impact . . . . . B. PEART and K. T. DOLDER 1169
Measurements of electron impact ionization cross section of Mg^{2+} ions and a note on the classical scaling law B. PEART, S. O. MARTIN and K. T. DOLDER 1176

No. 11 (*cont.*) *November* 1969

PAPERS PAGE

Measurements of angular distributions of electrons elastically scattered by helium . . . . . J. R. GIBSON and K. T. DOLDER 1180
A phase-shift analysis of electron–helium scattering: I—Elastic scattering below the ^2S resonance . . B. H. BRANSDEN and M. R. C. MCDOWELL 1187
Application of a simplified second Born approximation to the scattering of electrons and protons by hydrogen atoms: II . . . . A. R. HOLT 1202
Matrix elements for bound–free transitions in atomic hydrogen A. R. HOLT 1209
Multi-configuration Hartree–Fock calculations: III—Calculations of the ^3P, ^1D and ^1S states arising from the $1s^22s^22p^2$ configuration for $Z = 7{\cdot}0$ to $Z = 30{\cdot}0$ . . . . . P. S. BAGUS and C. M. MOSER 1214
Frequency spectrum of the depolarized light scattered by a rigid molecule in solution . . . . . C. CAROLI and O. PARODI 1229
Polarized absorption spectra of fluorene single crystal . . . . . S. C. CHAKRAVORTY and S. C. GANGULY 1235
Intensity measurements on the $A\,^3\Sigma^+ - X\,^3\Sigma_g^-$ Herzberg I band system of O_2 . . . . . V. DEGEN and R. W. NICHOLLS 1240

BOOK REVIEWS 1251

LETTERS TO THE EDITOR
On the accuracy of the simplified Born approximation . . . . . A. R. HOLT and B. L. MOISEIWITSCH 1253
Ionization of complex atoms by ion impact . . . . . A. SALIN 1255

No. 12 *December* 1969

PAPERS
Analysis of the hyperfine structure of the ground-state multiplet of the samarium atom . . . . . A. ROSÉN 1257
Study of the electronic structure of the ions CO_2^+ and N_2O^+ by the LCAO–MO–SCF method . . . . . J. A. HORSLEY and W. H. FINK 1261
Analytical orbital wave functions for the two-electron atom . . . . . R. P. MCEACHRAN and M. COHEN 1271
Collision problems with identical particles F. MASNOU-SEEUWS and A. SALIN 1274
Positron diffusion and annihilation in helium C. Y. LEUNG and D. A. L. PAUL 1278
An iterative method for solving intermediate energy scattering problems . . . . . W. R. CONKIE and S. R. SINGH 1293
Uniqueness of solutions of the close-coupling equations for electron scattering . . . . . D. W. NORCROSS 1300
Hartree–Fock multiplet strengths of $1s^24l\,^2L$–$1s^24l'\,^2L'$ transitions of the lithium isoelectronic sequence . . . . . M. A. ALI and L. J. SCHAAD 1304
Dipole polarizabilities of the $2\,^{1,3}S$ states in the helium isoelectronic sequence . . . . . A. L. STEWART 1309
An application of the polarized-orbital approximation to electron impact excitation of atomic hydrogen . M. D. LLOYD and M. R. C. MCDOWELL 1313
Born cross sections for the ionization of He and Li^+ by electron impact . . . . . D. G. ECONOMIDES and M. R. C. MCDOWELL 1323
A recalculation of vibrational excitation in carbon monoxide . . . . . F. A. GIANTURCO and R. MARRIOTT 1332
Polarization corrections to core levels . . L. HEDIN and A. JOHANSSON 1336
The ranges of validity of the Born and Bethe approximations for the single ionization of He^+ and Li^+ ions by electron impact . . . . . B. PEART, D. S. WALTON and K. T. DOLDER 1347

PAPERS PAGE

On the reaction $He^+ + Ar \rightarrow He + (Ar^+)^*$ at low energies . . . . . R. L. Champion and L. D. Doverspike 1353
Collisional quenching of metastable hydrogen . . . . . V. Dose, V. Meyer and M. Salzmann 1357
Time-resolved optical absorption measurements of excited atom concentrations in the argon afterglow . . . . . E. Ellis and N. D. Twiddy 1366
Carbon spectra by the beam-foil method . . . . . G. S. Bakken, A. C. Conrad and J. A. Jordan, Jr. 1378
The emission band spectrum of SiBr in the visible region . . . . . K. Babu Rao and P. B. V. Haranath 1381
The visible emission band spectrum of GeBr . . . . . K. Babu Rao and P. B. V. Haranath 1385
Pressure-induced satellites in the red wings of spectral lines . . . . . W. R. Hindmarsh and Judith M. Farr 1388
Collision broadening and satellite bands in the potassium line 4047 Å perturbed by krypton . . . . . D. G. McCartan and W. R. Hindmarsh 1396
Spin doublets in x-ray satellite spectra . G. B. Deodhar and S. Rai 1402

LETTERS TO THE EDITOR

The interpretation of the energies of the ^2D states of the lithium atom in terms of the polarization of the core by the outer electron . . . U. Öpik 1411

SUBJECT INDEX, Ser. 2, Vol. 2 1413
AUTHOR INDEX (WITH TITLES), Ser. 2, Vol. 2 1426
BOOK REVIEW INDEX Ser. 2, Vol. 2 1437